Product data sheet
179 N X-8/252 EAN-No. 4000896**232413**

252-pieces · 8 Drawers total



Application:
Efficient, mobile organisation of tools

- Tool trolley
- 7 flat and 1 high drawer
- Complete with 252-piece tool assortment in Safety-Insert-System soft foam insert

Work surfaces

- Much larger storage and work areas in plastic (179N) or stainless steel (179NX)
- Fully sealed work surface protects inside of trolley from leaking liquids
- Interfaces integrated in the work area for accessories such as laptop holders and top modules

Body / pull-handle

- Extremely robust design thanks to double-walled construction
- Complete welded construction of the entire body for tough daily workshop use
- Optimised, yielding edge protection on all four corners with real impact protection thanks to internal damping concept
- Ergonomically optimised pull handle for better manoeuvrability

Locking concept

- Lateral cylinder lock (replaceable) with two folding keys (adjustable, including serial number) protects the lock and key from damage
- Highly secure closing system with central locking technology for optimum protection of your property
- 2-stage locking
  – Central locking, lockable with cylinder lock and 2 folding keys
  – Mutual drawer locking for minimum tilting risk

Drawer concept

- Self-closing and reciprocal locking of the drawers prevents unwanted opening
- 100% sliding-out with ball-bearing telescopic slides
- Drawer design for optimum use of the interior
- Drawer fronts for optimised handling
- Dirt-resistant drawer coating for easy cleaning

High performance chassis

- Large wheels with high loading capacity, precision ball bearing and dual rounded rim in the pivot bearing, easy manoeuvrability, even with high dynamic load
- 2 swivel castors with dual brake:
  – Braked castors prevent rolling away
  – Braked swivel bearings prevent the swivel castors from turning, e.g. on inclined surfaces
- Protective ring prevents dirt and threads from getting in
- “Non-marking” castors leave no marks on the floor and enable smooth running

HAZET-WERK – Hermann Zerver GmbH & Co. KG · ✉ 10 04 61 · 42804 Remscheid
Güldenwerther Bahnhofstrasse 25 – 29 · 42857 Remscheid · GERMANY

Product data sheet
179 N X-8/252 EAN-No. 4000896**232413**

Assistent® **179N-6 – 9:**

- Solvent-resistant plastic work surface
- Metal handle, powder coated in black

Assistent® **179NX-6 – 8:**

- Stainless steel work surface
- Extra protection through high-quality plastic end caps
- Brushed stainless steel handle
- Total loading capacity (dynamic): 540 kg
- Loading capacity (static): 1000 kg
- Loading capacity per drawer: 30 kg
- Colour: HAZET blue
- Tool trolley Made in Germany
- Dimensions: 785 mm x 518 mm x 1020 mm
- Net weight: 89 kg
- Drawers, flat: 7× 81 x 522 x 398 mm
- Drawers, high: 1× 166 x 522 x 398 mm
- (Drawer) size for plastic drawer insert: 3/3+
- Worktop: Stainless steel
- Number of fixed castors: 2 (∅ 125 mm)
- Number of swivel castors: 2 (∅ 125 mm)
- Number of tools: 252

Order Number	179 N X-8/252



179NX-8



163-221/10 • ○ • 12.5 ½




990 • ○ • 12.5 ½
M8 • M10 • M12 • M14 •
M16 • M18



990LG • ○ • 12.5 ½
M8 • M14



990SLG • ○ • 12.5 ½
M10 • M12



163-369/104
⬡, ⬢, ○, ○, ○, ○, ○, ⬭ • 6.3 ¼,
12.5 ½, 20 ¾



850 • ⬡ • 6.3 ¼
4 • 5 • 5.5 • 6 • 7 • 8 • 9 •
10 • 11 • 12 • 13 • 14



850E • ⬢ • 6.3 ¼
E4 • E5 • E6 • E7 • E8



8501 • ○ • 6.3 ¼
3 • 4 • 5 • 6



8502 • ○ • 6.3 ¼
T10 • T15 • T20 • T25 • T27



8503 • ⬭ • 6.3 ¼
1 x 5.5



8506 • ○ • 6.3 ¼
PH1 • PH2



858-1 • 10 ⅜ • 6.3 ¼



863HP • 6.3 ¼




811-UK • 6.3 ¼



867-2 • 6.3 ¼ • 6.3 ¼



867-4 • 6.3 ¼ • 6.3 ¼



868 • 6.3 ¼ • 6.3 ¼



869 • 6.3 ¼ • 6.3 ¼



8858-1 • 12.5 ½ • 10 ⅜
8858-2 • 6.3 ¼ • 10 ⅜



900 • ⬡ • 12.5 ½
10 • 11 • 12 • 13 • 14 • 15 •
16 • 17 • 18 • 19 • 20 • 21 •
22 • 24 • 27 • 30 • 32



900E • ⬢ • 12.5 ½
E10 • E12 • E14 • E16 •
E18 • E20



900SZ • ⬡ • 12.5 ½
32 • 36



900Z • ⬡ • 12.5 ½
8 • 9 • 10 • 12 • 13 • 14 •
15 • 16 • 17 • 18 • 19 • 21 •
22 • 24 • 27 • 30 • 32

Product data sheet
179 N X-8/252

EAN-No. 4000896**232413**



903SLG • ▣ • 12.5 ½
17 • 19



915 • 12.5 ½



916HP • 12.5 ½



919 • 12.5 ½ • 12.5 ½
919-1 • 919-5 • 919-10



920 • 12.5 ½ • 12.5 ½



958-1 • 20 ¾ • 12.5 ½
958-2 • 10 ⅜ • 12.5 ½



992 • ✪ • 12.5 ½
T25 • T27 • T30 • T40 •
T45 • T50 • T55 • T60



1058-2 • 12.5 ½ • 20 ¾



2223N • ✪ • 6.3 ¼
T6 • T7 • T8 • T9



2250-1 • 6.3 ¼ • 6.3 ¼



163-372/25 • ✺



612N • ✺
10 x 11



666-5

730
730-3 • 730-6

746-1


748B
748B-3 • 748B-4 • 748B-5 •
748B-6 • 748B-8



824 • ▬
0.5 x 23



1952-40



2147MS



2152N/3




2154N-5



2157-1



4968-2



163-374/27
▣, ✺



600N • ▣
6 • 7 • 8 • 9 • 10 • 11 • 12 •
13 • 14 • 15 • 16 • 17 • 18 •
19 • 21 • 22 • 24



630 • ▣
6 x 7 • 8 x 9 • 10 x 11 •
12 x 13 • 14 x 15 • 16 x 17 •
18 x 19 • 21 x 22 • 24 x 27 •
30 x 32



163-511/4



760-26




1802M-22



1841MB-33



1850M-22



163-515/16 • ▣



606 • ▣
8 • 9 • 10 • 11 • 12 • 13 •
14 • 15 • 16 • 17 • 18 • 19



606/4SPC



163-526/41N
▬, ✪, ✪, ○

811 • ▬
0.4 x 2.5 • 0.5 x 3 • 0.8 x 4 •
1 x 5.5 • 1.2 x 6.5

811PH • ✪
PH0 • PH1 • PH2

811T • ✪
T10 • T15 • T20 • T25 •
T27 • T30

811K • ▬
0.6 x 3.5 • 1 x 5.5

811KPH • ✪
PH1 • PH2

811S • ▬
0.8 x 4.5 • 1 x 5.5 • 1.2 x 7

811SPH • ✪
PH1 • PH2 • PH3



2105LG/9H • ○



2116LG/8H • ✪



163-172X50



2128N-1

HAZET-WERK – Hermann Zerver GmbH & Co. KG · ✉ 10 04 61 · 42804 Remscheid
Güldenwerther Bahnhofstrasse 25 – 29 · 42857 Remscheid · GERMANY