

Product data sheet

179 N-8/234

EAN-No. 4000896278947



234-pieces · 8 Drawers total



Application:

Efficient, mobile organisation of tools

- Tool trolley
- 7 flat drawers and 1 high drawer
- Includes 234-piece tool assortment in Safety-Insert-System soft foam insert

Work surfaces

- Much larger storage and work areas in plastic (179N) or stainless steel (179NX)
- Fully sealed work surface protects inside of trolley from leaking liquids
- Interfaces integrated in the work area for accessories such as laptop holders and top modules

Body / pull-handle

- Extremely robust design thanks to double-walled construction
- Complete welded construction of the entire body for tough daily workshop use
- Optimised, yielding edge protection on all four corners with real impact protection thanks to internal damping concept
- Ergonomically optimised pull handle for better manoeuvrability

Locking concept

- Lateral cylinder lock (replaceable) with two folding keys (adjustable, including serial number) protects the lock and key from damage
- Highly secure closing system with central locking technology for optimum protection of your property
- 2-stage locking
 - Central locking, lockable with cylinder lock and 2 folding keys
 - Mutual drawer locking for minimum tilting risk

Drawer concept

- Self-closing and reciprocal locking of the drawers prevents unwanted opening
- 100% sliding-out with ball-bearing telescopic slides
- Drawer design for optimum use of the interior
- Drawer fronts for optimised handling
- Dirt-resistant drawer coating for easy cleaning

High performance chassis

- Large wheels with high loading capacity, precision ball bearing and dual rounded rim in the pivot bearing, easy manoeuvrability, even with high dynamic load
- 2 swivel castors with dual brake:
 - Braked castors prevent rolling away

- Braked swivel bearings prevent the swivel castors from turning, e.g. on inclined surfaces
- Protective ring prevents dirt and threads from getting in
- “Non-marking” castors leave no marks on the floor and enable smooth running

Assistant[®] **179N-6 – 9:**

- Solvent-resistant plastic work surface
- Metal handle, powder coated in black

Assistant® **179NX-6 – 8:**

- Stainless steel work surface
- Extra protection through high-quality plastic end caps
- Brushed stainless steel handle
- Total loading capacity (dynamic): 540 kg
- Loading capacity (static): 1000 kg
- Loading capacity per drawer: 30 kg
- Colour: HAZET blue
- Tool trolley Made in Germany
- Dimensions: 785 mm x 518 mm x 1020 mm
- Net weight: 87.2 kg
- Drawers, flat: 7 × 81 x 522 x 398 mm
- Drawers, high: 1 × 166 x 522 x 398 mm
- (Drawer) size for plastic drawer insert: 3/3+
- Worktop: Plastic, resistant to solvent, with integrated storage wells
- Number of fixed castors: 2 (Ø 125 mm)
- Number of swivel castors: 2 (Ø 125 mm)
- Number of tools: 234

[illegible]

Product data sheet

179 N-8/234

EAN-No. 4000896278947



1058-2 • 12 • 1/2 • 20 • 3/4



2204N • 0 • 3/16
2 • 2.5 • 3 • 4 • 5 • 6



2208N • 0 • 3/16
0.5 x 4 • 0.6 x 4.5 •
0.8 x 5.5 • 1 x 6



2215N • 0 • 3/16
PH1 • PH2 • PH3



2216N • 0 • 3/16
PZ1 • PZ2 • PZ3



2223N • 0 • 3/16
T6 • T7 • T8 • T9 • T10 •
T15 • T20 • T25 • T27 •
T30 • T40



2223N • 0 • 3/16
T10H • T15H • T20H •
T25H • T27H • T30H



2239N-6 • 0 • 3/16 • 0 • 3/16



2250-1 • 0 • 3/16 • 0 • 3/16



163-526/41N
0 • 0 • 0 • 0

811 • 0
0.4 x 2.5 • 0.5 x 3 • 0.8 x 4 •
1 x 5.5 • 1.2 x 6.5

811PH • 0
PH0 • PH1 • PH2

811T • 0
T10 • T15 • T20 • T25 •
T27 • T30

811K • 0
0.6 x 3.5 • 1 x 5.5

811KPH • 0
PH1 • PH2

811S • 0
0.8 x 4.5 • 1 x 5.5 • 1.2 x 7

811SPH • 0
PH1 • PH2 • PH3



2105LG/9H • 0



2116LG/8H • 0



163-672/46
0 • 0



450N • 0
6 x 7 • 8 x 9 • 10 x 11 •
12 x 13 • 14 x 15 • 16 x 17 •
18 x 19 • 21 x 22 • 24 x 27 •
30 x 32 • 34 x 36



600N • 0
6 • 7 • 8 • 9



606 • 0
10



600N • 0
10 • 11 • 12 • 13 • 14 • 15 •
16 • 17 • 18 • 19 • 21 • 22 •
24 • 27 • 32



606 • 0
8 • 9 • 11 • 12 • 13 • 14 •
15 • 16 • 17 • 18 • 19



606/4SPC



2128N-1