Product data sheet
175-7/417 EAN-No. 4000896**285068**

417-pieces · 7 Drawers total



Application:
Efficient, mobile organisation of tools

- Tool trolley
- 5 flat and 2 high drawers
- Complete with 417-piece tool assortment in Safety-Insert-System soft foam insert
- High flexibility: Handle and castors can be mounted either on the left or right

Work surfaces

- Work surface made of rugged steel sheet construction, powder-coated, plastic corner caps
- Fully sealed work surface protects inside of trolley from leaking liquids
- Work surface border strip prevents parts from falling down

Body / pull-handle

- Extremely rugged design
- Complete welded construction of the entire body for tough daily workshop use
- Bevelled edges prevent damage
- Commercially available rectangular perforation on the side panels offer fastening options for accessories
  – For example, HAZET tool hooks for the article group 112
  – For attached parts, such as can holder, holder for paper reel, paper bin, cable drum, etc.
  – Rear screw points for mounting additional accessories
- Sturdy handle can be firmly mounted on both sides of the body

Locking concept

- 2-stage locking
- Central locking, lockable with cylinder lock and two keys
- Mutual drawer locking for minimum tilting risk

Drawer concept

- Self-closing and reciprocal locking of the drawers prevents unwanted opening
- 100% sliding-out with ball-bearing telescopic slides
- Disconnectable telescopic rail

Chassis

- Large wheels with high loading capacity with precision ball-bearing and dual ball race in the swivel bearing – easy manoeuvrability, even with high dynamic load, 2 guide rolls with dual brake:
  – two baked castors prevent rolling away
  – Braked swivel bearings prevent the swivel castors from turning, e.g. on inclined surfaces
- Protective ring prevents dirt and threads from getting in
- "Non-marking" castors leave no marks on the floor and enable smooth running

Product data sheet
175-7/417 EAN-No. 4000896**285068**

- Total loading capacity (dynamic): 480 kg
- Loading capacity per drawer: 30 kg
- Colour: HAZET blue
- Tool trolley Made in Germany
- Dimensions: 777 mm x 490 mm x 1035 mm
- Drawers, flat: 5× 79 x 569 x 398 mm
- Drawers, high: 2× 164 x 569 x 398 mm
- (Drawer) size for plastic drawer insert: 3/3L+
- Worktop: Sheet steel, powder-coated, black
- Number of fixed castors: 2 (∅ 125 mm)
- Number of swivel castors: 2 (∅ 125 mm)

Assistent 175 – the new dimension

- Drawer area/volume: + approx. 24 % compared to 177 / 176N → area 24 % / volume 22 %
- Bearing load per drawer: + 50 % compared to 177 / 176N → 30 kg instead of 20 kg
- Improved rail technology: → ball-bearing telescopic rails instead of roller guides
- With new insert format: 3/3L+ (569 x 398 mm)
- And all with the same space requirement
- Number of tools: 417

Order Number	175-7/417

175-7

163-672/46

450N •
6 x 7 • 8 x 9 • 10 x 11 •
12 x 13 • 14 x 15 • 16 x 17 •
18 x 19 • 21 x 22 • 24 x 27 •
30 x 32 • 34 x 36

600N •
6 • 7 • 8 • 9

606 •
10

600N •
10 • 11 • 12 • 13 • 14 • 15 •
16 • 17 • 18 • 19 • 21 • 22 •
24 • 27 • 32

606 •
8 • 9 • 11 • 12 • 13 • 14 •
15 • 16 • 17 • 18 • 19

606/4SPC

163-691/2

762
762-15 • 762-26

163-694/204



163-695/77

8802 •
T20 • T25 • T27 • T30 •
T40 • T45 • T50

986 •
4 • 5 • 6 • 7 • 8 • 9 • 10 •
12 • 14 • 17 • 19 • 22

986SL •
4 • 5 • 6 • 7 • 8 • 9 • 10 •
11 • 12 • 14

990LG •
M10 • M6 • M8 • M9 • M12 •
M14

990SLG •
M10 • M12

992 •
T20 • T25 • T27 • T30 •
T40 • T45 • T50 • T55 • T60

992SLG •
T30 • T40 • T45 • T50 • T55

1845A-19

1845B-19

1845C-19

1845D-19

2206 •
5 • 6 • 8 • 10

2210 •
0.8 x 5.5 • 1 x 5.5 •
1.2 x 6.5 • 1.6 x 8 • 2 x 12

2217 •
PH2 • PH3 • PH4

2224 •
T30 • T40 • T45 • T50

2272 •

HAZET-WERK – Hermann Zerver GmbH & Co. KG · 10 04 61 · 42804 Remscheid
Güldenwerther Bahnhofstrasse 25 – 29 · 42857 Remscheid · GERMANY

Product data sheet
175-7/417 EAN-No. 4000896**285068**

163-696/11

163-697/48
⊖, ✪, ○, ○

811 • ⊖
0.4 x 2.5 • 0.5 x 3 • 0.8 x 4 •
1 x 5.5 • 1.2 x 6.5

811PH • ✪
PH0 • PH1 • PH2

811T • ○
T10 • T15 • T20 • T25 •
T27 • T30

811EL • ⊖
0.2 x 1.5 • 0.4 x 2 •
0.4 x 2.5 • 0.5 x 3

811ELPH • ✪
PH0 • PH00 • PH1

811K • ⊖
0.6 x 3.5 • 1 x 5.5

811KPH • ✪
PH1 • PH2

811S • ⊖
0.8 x 4.5 • 1 x 5.5 • 1.2 x 7

811SPH • ✪
PH1 • PH2 • PH3

2105LG/9H • ○

2116LG/8H • ○

163-699/29

730
730-3 • 730-7

740-3

746-2

748LGB
748LGB-3 • 748LGB-4

751HS/5

751KHS-3

751KHS-4

824 • ━
0.5 x 23

1965-22A

1975

1976-11

1977N-2/4

1979-74

2140N-50

2142N-2

2152-610

2154N-20

2154N-3

2157

2157-04