
Product data sheet
179 N X-8/234

EAN-No. 4000896**278961**

234-pieces · 8 Drawers total




Application:
Efficient, mobile organisation of tools

- Tool trolley
- 7 flat drawers and 1 high drawer
- Complete with 234-piece tool assortment in Safety-Insert-System soft foam insert

Work surfaces

- Much larger storage and work areas in plastic (179N) or stainless steel (179NX)
- Fully sealed work surface protects inside of trolley from leaking liquids
- Interfaces integrated in the work area for accessories such as laptop holders and top modules

Body / pull-handle

- Extremely robust design thanks to double-walled construction
- Complete welded construction of the entire body for tough daily workshop use
- Optimised, yielding edge protection on all four corners with real impact protection thanks to internal damping concept
- Ergonomically optimised pull handle for better manoeuvrability

Locking concept

- Lateral cylinder lock (replaceable) with two folding keys (adjustable, including serial number) protects the lock and key from damage
- Highly secure closing system with central locking technology for optimum protection of your property
- 2-stage locking
  – Central locking, lockable with cylinder lock and 2 folding keys
  – Mutual drawer locking for minimum tilting risk

Drawer concept

- Self-closing and reciprocal locking of the drawers prevents unwanted opening
- 100% sliding-out with ball-bearing telescopic slides
- Drawer design for optimum use of the interior
- Drawer fronts for optimised handling
- Dirt-resistant drawer coating for easy cleaning

High performance chassis

- Large wheels with high loading capacity, precision ball bearing and dual rounded rim in the pivot bearing, easy manoeuvrability, even with high dynamic load
- 2 swivel castors with dual brake:
  – Braked castors prevent rolling away

HAZET-WERK – Hermann Zerver GmbH & Co. KG · ✉ 10 04 61 · 42804 Remscheid
Güldenwerther Bahnhofstrasse 25 – 29 · 42857 Remscheid · GERMANY

Product data sheet
179 N X-8/234 EAN-No. 4000896**278961**

– Braked swivel bearings prevent the swivel castors from turning, e.g. on inclined surfaces
- Protective ring prevents dirt and threads from getting in
- “Non-marking” castors leave no marks on the floor and enable smooth running


Assistent **179N-6 – 9:**
- Solvent-resistant plastic work surface
- Metal handle, powder coated in black

Assistent **179NX-6 – 8:**
- Stainless steel work surface
- Extra protection through high-quality plastic end caps
- Brushed stainless steel handle
- Total loading capacity (dynamic): 540 kg
- Loading capacity (static): 1000 kg
- Loading capacity per drawer: 30 kg
- Colour: HAZET blue
- Tool trolley Made in Germany
- Dimensions: 785 mm x 518 mm x 1020 mm
- Net weight: 89 kg
- Drawers, flat: 7× 81 x 522 x 398 mm
- Drawers, high: 1× 166 x 522 x 398 mm
- (Drawer) size for plastic drawer insert: 3/3+
- Worktop: Stainless steel
- Number of fixed castors: 2 (∅ 125 mm)
- Number of swivel castors: 2 (∅ 125 mm)
- Number of tools: 234

Order Number	179 N X-8/234



179NX-8



163-513/122N

, , , , , , , , • 6.3 ¼″, 10 ⅜″, 12.5 ½″, 6.3 ¼″

811BML • 6.3 ¼″



850 • • 6.3 ¼″
5.5 • 6 • 7 • 8 • 9 • 10 • 11 • 12 • 13



850E • • 6.3 ¼″
E5 • E6 • E7 • E8 • E10



863HP • 6.3 ¼″



867-2 • 6.3 ¼″ • 6.3 ¼″



868 • 6.3 ¼″ • 6.3 ¼″



869 • 6.3 ¼″ • 6.3 ¼″



880 • • 10 ⅜″
10 • 11 • 12 • 13 • 14 • 15 • 16 • 17 • 18 • 19 • 21 • 22



8816HP • 10 ⅜″



8820 • 10 ⅜″ • 10 ⅜″



8821 • 10 ⅜″ • 10 ⅜″
8821-3 • 8821-6 • 8821-10



8858-2 • 6.3 ¼″ • 10 ⅜″



900 • • 12.5 ½″
10 • 11 • 12 • 13 • 14 • 15 • 16 • 17 • 18 • 19 • 20 • 21 • 22 • 23 • 24 • 26 • 27 • 28 • 30 • 32



900E • • 12.5 ½″
E10 • E12 • E14 • E16 • E18 • E20



915 • 12.5 ½″



916HP • 12.5 ½″



917-5 • 12.5 ½″ • 12.5 ½″



918-10 • 12.5 ½″ • 12.5 ½″



920 • 12.5 ½″ • 12.5 ½″



958-2 • 10 ⅜″ • 12.5 ½″

Product data sheet
179 N X-8/234

EAN-No. 4000896**278961**



1058-2 • 12.5 ½ • 20 ¾

2204N • ○ • 6.3 ¼
2 • 2.5 • 3 • 4 • 5 • 6

2208N • ⊖ • 6.3 ¼
0.5 x 4 • 0.6 x 4.5 •
0.8 x 5.5 • 1 x 6

2215N • ✪ • 6.3 ¼
PH1 • PH2 • PH3

2216N • ✪ • 6.3 ¼
PZ1 • PZ2 • PZ3



2223N • ✪ • 6.3 ¼
T6 • T7 • T8 • T9 • T10 •
T15 • T20 • T25 • T27 •
T30 • T40

2223N • ✪ • 6.3 ¼
T10H • T15H • T20H •
T25H • T27H • T30H



2239N-6 • 6.3 ¼ • 6.3 ¼



2250-1 • 6.3 ¼ • 6.3 ¼



163-526/41N
⊖, ✪, ○, ○

811 • ⊖
0.4 x 2.5 • 0.5 x 3 • 0.8 x 4 •
1 x 5.5 • 1.2 x 6.5

811PH • ✪
PH0 • PH1 • PH2

811T • ○
T10 • T15 • T20 • T25 •
T27 • T30

811K • ⊖
0.6 x 3.5 • 1 x 5.5

811KPH • ✪
PH1 • PH2

811S • ⊖
0.8 x 4.5 • 1 x 5.5 • 1.2 x 7

811SPH • ✪
PH1 • PH2 • PH3



2105LG/9H • ○



2116LG/8H • ○



163-672/46
◉, ◉

450N • ◉
6 x 7 • 8 x 9 • 10 x 11 •
12 x 13 • 14 x 15 • 16 x 17 •
18 x 19 • 21 x 22 • 24 x 27 •
30 x 32 • 34 x 36

600N • ◉
6 • 7 • 8 • 9



606 • ◉
10



600N • ◉
10 • 11 • 12 • 13 • 14 • 15 •
16 • 17 • 18 • 19 • 21 • 22 •
24 • 27 • 32



606 • ◉
8 • 9 • 11 • 12 • 13 • 14 •
15 • 16 • 17 • 18 • 19



606/4SPC



2128N-1