STAHLWILLE®

Sockets 1/4", metric, long

40L



Product no.	**01020012**
GTIN	**4018754000265**
Model	**40L 12**

Label. 1/4 " Socket Size 12mm L.50mm


Properties.

- long version
- hex with AS-Drive profile
- 1/4" internal square drive
- HPQ® high performance steel, chrome-plated
- DIN 3124/ISO 2725-1 / ASME B 107.5M / DIN EN 3710 / DIN EN 3709

Technologies and features.

High Performance Quality (HPQ®)
Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical drawing.



Technical attributes.

Size [mm]	12 mm
Square drive inner (inch)	1/4 "
Length mm (L)	50 mm
Drive profile	hex AS-Drive
d1	16,5 mm
d2	16,5 mm
d3	11 mm
DIN	DIN 3124 / ISO 2725-1, ASME B 107.5M, DIN EN 3710, DIN EN 3709
Alloy	HPQ® high performance steel
t1	12 mm
t2	41,3 mm

Logistics data.

Product no.	01020012
GTIN	4018754000265
Weight (g)	49 g
Volume (packaged, dm3)	0.8262 dm3
Packing standard	50
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82042000
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	50
Width mm (IFS)	17
Height mm (IFS)	17
Weight (gross, kg)	2,450
Weight PAP (kg)	0,000
Weight PVC (kg)	0,003
Length (packaged, mm)	90
Width (packaged, mm)	51
Height (packaging, mm)	180

GTIN.

4 018754 000265

STAHLWILLE Eduard Wille GmbH
Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0
info@stahlwille.de · www.stahlwille.com
© STAHLWILLE Eduard Wille GmbH, Wuppertal