STAHLWILLE®



Torque tool sets with SENSOTORK®

701/32/1

Product no.	**96090005**
GTIN	**4018754293094**
Model	**SENSOTORK® 701/32/1**

Label.

Torque tool set with SENSOTORK® Model 701/32/1 32 pcs.

Properties.

Key features of torque wrench No. 701/2

- idicating type
- with permanently installed fine-tooth ratchet
- 80 teeth allow for a working angle of just 4.5° - enabling you to work efficiently, even in the tightest spaces
- with QuickRelease safety lock
- very slim and compact design for small torques from 1-20 N·m
- measurement independent of the point of force application
- units of measurement: N·m, cN·m, ft·lb, in·lb
- optimal calibration with perfectControl® calibration systems No. 7794 or calibration systems No. 7706, 7791
- results can be documented (with SensoMaster), evaluation of bolted joint by coloured LEDs, buzzer, and vibration
- supplied with 3.6 V lithium-metal battery, type 14500, packaged according to UN3091, Class 9
- adjustable joint parameters
- with 2-component handle
- in a sturdy plastic box
- calibration certificate in accordance with DIN EN ISO 6789-2:2017
- **accuracy ± 4%**

Contains 32-pieces:

1 torque wrench 1/4" **No. 701/2**: measurement range: 1-20 N·m
11 sockets with hex 1/4" **No. 40**: 4; 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13 mm
1 QuickRelease extension 1/4" **No. 405QR**: L. 54 mm
1 bit holder 1/4" **No. 412**
3 bits PHILLIPS® 1/4" **No. PH 1221-1223**: PH1; PH2; PH3
3 bits POZIDRIV® 1/4" **No. PZ 1221-1223**: PZ1; PZ2; PZ3
4 bits hex 1/4" **No. 1301-1304**: 4; 5; 6; 8 mm
7 bits TORX® 1/4" **No. 1414-1420**: T10; T15; T20; T25; T27; T30; T40
1 USB cable **No. 7754**





Product highlights.



Robust tool box.
The robust tool box is particularly resilient thanks to its durable ABS plastic. It has a high-quality, chemical-resistant hard foam insert to hold the tools securely in place. The fasteners are particularly easy to use and can be ordered individually as spare parts.



Everything at a glance.
The laser-engraved contents in the lid insert provide an optimal overview of the tools within.



Compact helper.
With a compact length of only 21 cm, it is ideally suited to safe, accurate work in confined spaces.



Gentle screw tightening.
The SENSOTORK® 701 has been specifically designed for small torques in the range of 1-20 N·m. Its handy size and precise measurements make it the optimal choice for gentle screw tightening on various materials such as carbon, magnesium and aluminium.



Intuitive use.
The required mode of operation (track, peak hold, user (fastener evaluation)) can be quickly and easily set using the single button setting system.

Technologies and features.



QuickRelease
The QuickRelease safety lock prevents unintentional loss of sockets and insert tools. These click securely into place, and are only released again at the push of a button for a quick tool change. In transducers: The QuickRelease safety lock helps you to quickly mount and change transducers. The transducers lock into the calibration system and only unlock again at the push of the buttons.

Technical attributes.

Contents	torque wrench SENSOTORK® 701 sockets 1/4" hex, 4; 5; 5;5; 6; 7; 8; 9; 10; 11; 12; 13 mm extension 1/4", L. 54 mm bit holder 1/4" square to 1/4" hex bits hex 4, 5, 6, 8 mm bits PHILLIPS® PH 1, 2, 3 bits PHILLIPS® PZ 1, 2, 3 bits TX T10, T15, T20, T25, T27, T30, T40 USB connection cable 2.0
Anzeigeabweichung	± 4 %
Measuring range N·m	1-20 N·m
Measuring range cN·m	100-2000 cN·m
MA N·m	1 N·m
Nominal value N·m	20 N·m
Scale division ft-lb	0,7-15 ft·lb
Scale division in-lb	9-180 in·lb
Length mm (L)	320 mm
Width mm (b)	135 mm
Height mm (h)	55 mm
Battery type	Lithium-Batterie 3,6 V, Typ 14500
Number of tools	32 pcs.

Logistics data.

Product no.	96090005
GTIN	4018754293094
Weight (g)	923 g
Volume (packaged, dm3)	2.376 dm3
Packing standard	1
WEEE/ElektroG	Kleingeräte B2C
Customs tariff no.	82060000
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	320
Width mm (IFS)	135
Height mm (IFS)	55
Weight (gross, kg)	0,923
Weight PAP (kg)	0,080
Weight PVC (kg)	0,000
Length (packaged, mm)	320
Width (packaged, mm)	135
Height (packaging, mm)	55

Parts list.



01010004
Socket



01010005
Socket



01010006
Socket



01010007
Socket



01010008
Socket



01010009
Socket



01010010
Socket



01010011
Socket



01010012
Socket



01010013
Socket



01010055
Socket



08010001
Screwdriver bit



08010002
Screwdriver bit



08010003
Screwdriver bit




08050001
Screwdriver bit




08050002
Screwdriver bit




08050003
Screwdriver bit




08090004
Screwdriver bit



08090005
Screwdriver bit



08090006
Screwdriver bit



08090008
Screwdriver bit



08130010
Screwdriver bit



08130015
Screwdriver bit



08130020
Screwdriver bit



08130025
Screwdriver bit



08130027
Screwdriver bit



08130030
Screwdriver bit



08130040
Screwdriver bit



11011001
QR extensions



11180010
Bit holder

PRODUCT IMAGE IN PROGRESS

51110057
USB cable

PRODUCT IMAGE IN PROGRESS

59220002



81261011
Tool case

GTIN.

4 018754 293094

Images.



STAHLWILLE Eduard Wille GmbH
Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0
info@stahlwille.de · www.stahlwille.com
© STAHLWILLE Eduard Wille GmbH, Wuppertal