STAHLWILLE®



VDE sockets 1/2", metric

12179 VDE

Product no.	**03370022**
GTIN	**4018754253814**
Model	**12179 VDE 22**

Label. 1/2 " VDE socket Size 22mm L.60mm


Properties.

- bi-hex with AS-Drive profile
- 1/2" internal square drive
- VDE insulated up to 1,000 V
- protective insulation according to IEC 60900-AC 1,000 V / DC 1,500 V
- HPQ® high performance steel, chrome-plated

Technologies and features.

High Performance Quality (HPQ®)
Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical drawing.



Technical attributes.

Size [mm]	22 mm
Square drive inner (inch)	1/2 "
Length mm (L)	60 mm
Drive profile	bi-hex AS-Drive
d1	34,7 mm
DIN	DIN EN 60900
Alloy	HPQ® high performance steel

Logistics data.

Product no.	03370022
GTIN	4018754253814
Weight (g)	116 g
Volume (packaged, dm3)	0.2125 dm3
Packing standard	1
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82042000
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	59
Width mm (IFS)	35
Height mm (IFS)	35
Weight (gross, kg)	0,120
Weight PAP (kg)	0,000
Weight PVC (kg)	0,002
Length (packaged, mm)	85
Width (packaged, mm)	50
Height (packaging, mm)	50

GTIN.

4 018754 253814

4 018754 253814

STAHLWILLE Eduard Wille GmbH
Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0
info@stahlwille.de · www.stahlwille.com
© STAHLWILLE Eduard Wille GmbH, Wuppertal