



IMPACT screwdriver socket set TORX® on socket clip rail

2307L TX IMP/6-12918



Product no. **96231508**
GTIN **4018754363292**
Model **2307L TX IMP/6-12918**

Label. IMPACT screwdriver socket set TORX® on socket clip rail 6 pcs.

Properties.

- screwdriver sockets in long version
- for recessed TORX® screws
- 1/2" internal square drive
- Chrome Alloy Steel, phosphated
- secure fixation on plastic carriers with ball lock
- socket clip rail can be mounted on a wall/perforated wall
- DIN 3124 / ISO 2725-1 / DIN EN 3709 / ASME B 107.5M

Contains 6-pieces:

6 IMPACT screwdriver sockets, long TORX® 1/2" **No. 2307L TX IMP:** T30; T40; T45; T50; T55; T60
+ socket clip rail **No. 12918/10**

Benefits.

High-quality set of 9 robust IMPACT socket wrench sockets up to T60 for heavy-duty connections and screwdriving work on brake systems and special tools for brakes and wheels.

Made of wear-resistant Chrome Alloy Steel and phosphated for high durability and corrosion protection.

The socket bar can be attached in a structured manner: via an integrated drilled hole, on plastic carriers or directly to metal surfaces using the magnet set.

Long version of the socket wrench sockets facilitates access to deep screws.

The inserts sit firmly on a clip strip with sliding plastic holders, external square and ball lock.

Product highlights.



PRODUCT IMAGE
IN PROGRESS

Extra length.

Our screwdriver and socket sockets in a special long version are ideal for working on deep-set screws, e.g. in engine compartments, machine housings, chassis components or electrical distribution systems.



PRODUCT IMAGE
IN PROGRESS

For powerful bolted joints.

The range offers a wide selection of sizes for particularly force-intensive bolted joints. The sockets are optimal for powerful work on special tools for brakes and wheels, brake systems, body parts, engine covers, axle connections and machine components.



PRODUCT IMAGE
IN PROGRESS

Robust and durable.

Our screwdriver and socket wrench sockets made of high-quality chrome alloy steel offer outstanding stability and resistance for continuous use. They are phosphated for additional corrosion resistance and long-lasting protection.



PRODUCT IMAGE
IN PROGRESS

Efficient tool organisation.

The inserts sit securely on the robust socket wrench strip with external square, ball lock and end stop. The sliding safety locks allow for individual arrangement. For maximum flexibility, the strip can be attached to walls, beams or directly to metal surfaces using a magnet set - for more order and space in the workshop or garage.

Technical attributes.

Number of tools 6 pcs.

Logistics data.

Product no.	96231508
GTIN	4018754363292
Volume (packaged, dm3)	0.9625 dm3
Packing standard	1
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82079030
Country of origin AWR	GERMANY
Region of origin	Ausländischer Ursprung

Depth mm (IFS)	350
Width mm (IFS)	110
Height mm (IFS)	25
Weight (gross, kg)	0,650
Weight PAP (kg)	0,000
Weight PVC (kg)	0,004
Length (packaged, mm)	350
Width (packaged, mm)	110
Height (packaging, mm)	25

Parts list.



23071030
IMPACT screwdriver
socket



23071040
IMPACT screwdriver
socket



23071045
IMPACT screwdriver
socket



23071050
IMPACT screwdriver
socket



23071055
IMPACT screwdriver
socket



23071060
IMPACT screwdriver
socket



80500005
Socket clip rail

GTIN.



Accessories (for).



39011940
IMPACT rubber ring



39012440
IMPACT rubber ring

Images.



STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal