



Internal pullers

11400

Product no.	71040009
GTIN	4018754342150
Model	11400/8

Label.

Internal puller Size 8 Spread range 55-70mm

Properties.

- for very tight ball bearings, ball bearing outer races and bushings that are not freely accessible from the outside
- removal is carried out by inserting the internal puller into the bearing and screwing in the spindle
- the expanding jaws spread and the lugs locate under the bearing
- can be used with slide hammers 11402/1-2 or counter stays 11401/1-3

Benefits.

Durable tool for extracting ball bearings, bushings, oil seals or similar .

Simple removal is carried out by inserting the internal puller into the bearing and screwing in the spindle.

Can be combined with slide hammers and counter stays for quick removal of components.

Easy on the workpiece thanks to even force distribution.

The sharp edges of the shells securely grip and pull out even bearings that sit close to the back panel.



Product highlights.




PRODUCT IMAGE
IN PROGRESS

Precise for tight-fitting bearings.

The internal puller makes it easy to pull out bearings, bushings and similar components that are close to the wall. The bearings are securely gripped by the bore and pulled out quickly thanks to the good clamping effect. With a spreading range of 12-15 mm, the internal puller is reliable even in demanding applications.

Technical drawing.



Technical attributes.

Size	8
Model No.	11400/8
External hex drive (mm)	19 mm
Length mm (L)	205 mm
Width mm (b)	55 mm
Height mm (h)	55 mm
Connection thread	M14 x 1,5
Spreading range (e) min./max.	55-70 mm
Ball bearing ISO	6211; 6212; 6213; 6214

Logistics data.

Product no.	71040009
GTIN	4018754342150
Weight (g)	1693 g
Volume (packaged, dm3)	2.629125 dm3
Packing standard	1
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82055980
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	192
Width mm (IFS)	55
Height mm (IFS)	55
Weight (gross, kg)	1,810
Weight PAP (kg)	0,120
Weight PVC (kg)	0,000
Length (packaged, mm)	205
Width (packaged, mm)	135


Height (packaging, mm)

95

GTIN.



Images.



STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal