



USB adaptor, jack-push/pull cable and TorkMaster software

7759-6

Product no. **96583631**
GTIN **4018754289363**
Model **7759-6**

Label.

USB adaptor, jack-push/pull cable and TorkMaster software for

Properties.


Connection between perfectControl® or the laboratory transducer (No. 7728) and the PC. For adjustment and calibration of torque wrenches and torque screwdrivers. For creating calibration certificates according to DIN EN ISO 6789. These can be printed or saved as a PDF file.

- 'as found' and 'as left' calibrations can be documented
- graphical display of loading curves
- user management
- 17 languages
- test resource manager

System requirements: PC, Microsoft Windows operating system, USB port

Benefits.

Connection between perfectControl® or the sensor (7728) and the PC.



Technical attributes.

L (m) 1,5 m

Logistics data.

Product no. 96583631
GTIN 4018754289363

Weight (g)	72 g
Volume (packaged, dm3)	0.819 dm3
Packing standard	1
WEEE/ElektroG	Kl. Geräte der ITK
Customs tariff no.	90319000
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	180
Width mm (IFS)	130
Height mm (IFS)	35
Weight (gross, kg)	0,072
Weight PAP (kg)	0,000
Weight PVC (kg)	0,004
Length (packaged, mm)	180
Width (packaged, mm)	130
Height (packaging, mm)	35

Parts list.



52110054
Jack-push/pull cable



52111057
USB adaptor

GTIN.



4 018754 289363

Accessories (for).



96524011
Laboratory transducer



96524001
Laboratory transducer



96524002
Laboratory transducer



96524004
Laboratory transducer



96524006
Laboratory transducer



96524010
Laboratory transducer



96524020
Laboratory transducer



96524040
Laboratory transducer



96524065
Laboratory transducer



96524080
Laboratory transducer



96524100
Laboratory transducer



96524300
Laboratory transducer