STAHLWILLE®



Combination spanner sets OPEN BOX, metric

OPEN BOX 13

Product no.	**96400809**
GTIN	**4018754323265**
Model	**OPEN BOX 13/5**



Label. Combination spanner set OPEN BOX 13/5 8-19 5 pcs.

Properties.

- **metric, identical** end sizes
- ring-end cranked 15°, jaw angled 15°
- reinforcement between jaw and shaft
- durable, slim and lightweight design
- extremely resilient and durable
- high flexural strength due to double-T profile
- STAHLWILLE's rounded finish ensures a non-slip, pleasant feel
- drop-forged, hardened, and cooled in an oil bath
- Chrome Alloy Steel, chrome-plated
- DIN 3113 Form A/ISO 7738 Form A


Benefits.

Made in Germany - Combination spanner set in cardboard packaging, 5 pcs.-pcs., 8-19 mm, ring side 15° angled, DIN 3113 Form A / ISO 7738 Form A, Chrome Alloy Steel, chrom plated.

Product highlights.




Non-slip surface
STAHLWILLE spanners have a high-quality surface finish with good grip, making it possible to work safely and efficiently, even with greasy hands. The non-slip property improves control during handling.




A solution for every situation.
Our combination spanners are available in different versions (metric, imperial, long, with Spline-Drive profile) and as sets in textile bags, roll-up tool pouches or TCS inlays.

Technologies and features.



Double-T profile
Our ring, open-ended and combination spanners have an additional recess in the middle of the tool. Similar to the principle of a double-T beam, this provides a tremendous load capacity and maximum strength whilst reducing weight.




Thin-walled rings
The thin-walled diameter of our rings makes it easier to work in confined spaces. The ring wall is deeper than standard nuts, which prevents jamming.



Offset Shaft Design
Our spanners are specially designed with additional reinforcement in the load zones where the greatest amount of force is transmitted - namely where the jaw meets the shank - in order to prevent deformation.

Technical drawing.



Technical attributes.

Contents	8; 10; 13; 17; 19 mm

Logistics data.

Product no.	96400809

Model No.	13/5
Jaw angle	15 °
Range	8-19
DIN	DIN 3113 Form A / ISO 7738 Form A
Alloy	Chrome Alloy Steel, chrom plated
Surface	chrome-plated
Number of tools	5 pcs.

GTIN	4018754323265
Weight (g)	398 g
Volume (packaged, dm3)	0.440625 dm3
Packing standard	1
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82041100
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Packaging	in cardboard box
Depth mm (IFS)	235
Width mm (IFS)	75
Height mm (IFS)	25
Weight (gross, kg)	0,398
Weight PAP (kg)	0,040
Weight PVC (kg)	0,000
Length (packaged, mm)	235
Width (packaged, mm)	75
Height (packaging, mm)	25

Parts list.



40080808
Combination spanner



40081010
Combination spanner



40081313
Combination spanner



40081717
Combination spanner



40081919
Combination spanner

GTIN.

4 018754 323265

Images.





STAHLWILLE Eduard Wille GmbH
Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0
info@stahlwille.de · www.stahlwille.com
© STAHLWILLE Eduard Wille GmbH, Wuppertal