



Uniflex sockets 3/8", imperial

47a



Product no. **02440038**
GTIN **4018754004454**
Model **47a 11/16**



Label. 3/8 " Uniflex sockets Size 11/16" L.53.5mm

Properties.

- bi-hex with AS-Drive profile
- 3/8" internal square drive
- HPQ® high performance steel, chrome-plated
- SAE AS 954-E


Technologies and features.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical drawing.



Technical attributes.

Size [inch]	11/16 "
Square drive inner (inch)	3/8 "
Length mm (L)	53,5 mm
Drive profile	bi-hex AS-Drive
d1	23,5 mm
d2	17,5 mm
d3	16,3 mm
Alloy	HPQ® high performance steel
t1	16 mm
t2	18,5 mm

Logistics data.

Product no.	02440038
GTIN	4018754004454
Weight (g)	58 g
Volume (packaged, dm3)	0.20976 dm3
Packing standard	40
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82042000
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	46
Width mm (IFS)	24
Height mm (IFS)	24
Weight (gross, kg)	2,320
Weight PAP (kg)	0,000
Weight PVC (kg)	0,002
Length (packaged, mm)	46
Width (packaged, mm)	24
Height (packaging, mm)	190

GTIN.





STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal