





Socket set 3/8", 39-pcs.

TCS 456/31/8

Product no. **96830602**
GTIN **4018754162505**
Model **TCS 456/31/8**



Label.

Socket set

Properties.

- safely integrated in the modular Tool Control System (TCS)

Contains 39-pieces:

- 16 sockets with hex 3/8" **No. 456**: 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22 mm
- 4 sockets with bi-hex 3/8" **No. 46**: 10; 11; 12; 13 mm
- 7 uniflex sockets with bi-hex 3/8" **No. 47**: 10; 11; 12; 13; 14; 15; 16 mm
- 1 screwdriver socket INHEX 3/8" **No. 1049**: 9 mm
- 3 screwdriver sockets XZN® 3/8" **No. 49X**: M6; M8; M10
- 3 extensions 3/8" **No. 427**: L. 76; 125; 240 mm
- 1 universal joint 3/8" **No. 428**: L. 46 mm
- 1 square drive adaptor **No. 431**: 3/8 to 1/4"
- 1 square drive adaptor **No. 432**: 3/8 to 1/2"
- 1 ratchet 3/8" **No. 435-2K**: L. 193 mm
- 1 QuickRelease fine-tooth flexible ratchet 3/8" **No. 452QR**: L. 300 mm

Technologies and features.



Tool Control System

The intelligent modular inlay system protects and organises the tools in tool boxes, tool trolleys and workbenches. Two-colour foam inlays make checking the completeness of the tools quick and easy.



QuickRelease

The QuickRelease safety lock prevents unintentional loss of sockets and insert tools. These click securely into place, and are only released again at the push of a button for a quick tool change. In transducers: The QuickRelease safety lock helps you to quickly mount and change transducers. The transducers lock into the calibration system and only unlock again at the push of the buttons.

Technical attributes.

Square drive inner (inch)	3/8 "
Length mm (L)	350 mm
Width mm (b)	350 mm
Height mm (h)	32 mm
Drawer dividers	2/3
Number of tools	39 pcs.

Logistics data.

Product no.	96830602
GTIN	4018754162505
Weight (g)	2701 g
Volume (packaged, dm3)	12.18005 dm3
Packing standard	1
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82042000
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	365
Width mm (IFS)	355
Height mm (IFS)	94
Weight (gross, kg)	2,910
Weight PAP (kg)	0,086
Weight PVC (kg)	0,008
Length (packaged, mm)	365
Width (packaged, mm)	355
Height (packaging, mm)	94

Parts list.



02020010
Socket



02020011
Socket



02020012
Socket



02020013
Socket



02040010
Uniflex sockets



02040011
Uniflex sockets



02040012
Uniflex sockets



02040013
Uniflex sockets



02040014
Uniflex sockets



02040015
Uniflex sockets



02040016
Uniflex sockets



02060006
Screwdriver socket



02060008
Screwdriver socket



02060010
Screwdriver socket



02110007
Socket



02110008
Socket



02110009
Socket



02110010
Socket



02110011
Socket



02110012
Socket



02110013
Socket



02110014
Socket



02110015
Socket



02110016
Socket



02110017
Socket



02110018
Socket



02110019
Socket



02110020
Socket



02110021
Socket



02110022
Socket



02151009
INHEX screwdriver
socket



12010001
Extension



12010003
Extension



12010006
Extension



12020000
Universal joint



12030001
Square drive adaptor



12030003
Square drive adaptor



12111010
Ratchet



12261010
QR fine-tooth flexible
ratchet

GTIN.



4 018754 162505

STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal