



TORX® sockets 1/4"

40TX

Product no.	01270010
GTIN	4018754000982
Model	40TX E10 TORX®



Label. 1/4 " Socket L.23mm

Properties.

- for external TORX® screws
- 1/4" internal square drive
- HPQ® high performance steel, chrome-plated


Technologies and features.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical drawing.



Technical attributes.

for screws	M8
Size drive profile	E10
TORX® drive profile (mm)	9,4 mm
Square drive inner (inch)	1/4 "
Length mm (L)	23 mm
Drive profile	TORX®
d1	12,7 mm
d2	12,7 mm
d3	5,6 mm
Alloy	HPQ® high performance steel
t1	9 mm
t2	15 mm

Logistics data.

Product no.	01270010
GTIN	4018754000982
Weight (g)	17 g
Volume (packaged, dm3)	0.714 dm3
Packing standard	100
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82042000
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	25
Width mm (IFS)	13
Height mm (IFS)	13
Weight (gross, kg)	1,700
Weight PAP (kg)	0,000
Weight PVC (kg)	0,002
Length (packaged, mm)	85
Width (packaged, mm)	60
Height (packaging, mm)	140

GTIN.



4 018754 000982



STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal