



Penlight

13140 SL 600



Product no. **77490021**
GTIN **4018754368051**
Model **13140 SL 600**

Label. Penlight black 600 lm

Properties.

- laser pointer function (laser class 2)
- compact design
- front LED with adjustable luminous flux with 3 brightness levels: low (115 lm) / high (350 lm) / boost (600 lm)
- TOP LED: 120 lm
- front LED burn time/luminous flux: 7.5 hours (low) / 2.5 hours (high) / 30 seconds (boost)
- UV light duration/luminous flux: 18 hours
- laser light duration/luminous flux: 72 hours
- front LED light range: 9 m (low) / 17 m (high) / 22 m (boost)
- rechargeable via USB-C port
- charging time: approx. 2 hours
- integrated Li-ion battery 3.7 V/1,200 mAh/4.44 Wh
- with charging indicator
- with rotating magnetic clip for attaching to belts and bags
- magnetic base for attaching to metal surfaces
- robust aluminium housing
- protection class: IK07/IP20
- accessories: USB-C charging cable (50 cm)

Benefits.

Rechargeable LED pen light with high light output of up to 600 lm.

3-in-1: top LED, UV light and laser pointer - ideal for inspections, marking and testing tasks.

The durable aluminium housing offers reliable protection against mechanical impact and the ingress of

Slim, compact pen-shaped design for convenient carrying.

Flexible attachment with rotating retaining clip and magnetic base.

solid foreign bodies thanks to its IK07/IP20 protection rating.

Product highlights.



PRODUCT IMAGE
IN PROGRESS

Compact power.

With up to 600 lumens and 4 brightness levels, our compact pen light provides optimum illumination for the smallest and tightest areas in vehicles and workshops - where conventional torches are often too large. Up to 2 hours of light duration guarantee reliable illumination for every application.



PRODUCT IMAGE
IN PROGRESS

Precise light in pen format.

With a length of just 16 cm, the pen light fits comfortably in any pocket or toolbox, making it the ideal companion in the workshop or on the go. Its compact, handy design makes the lamp ideal for precise work in tight spaces without sacrificing powerful luminosity.



PRODUCT IMAGE
IN PROGRESS

Powerful and rechargeable.

Our light has a Li-ion battery with a capacity of 1,200 mAh. It can be conveniently charged via a USB Type-C port. A waterproof silicone cover protects the charging socket from external influences. The current charge status of the battery can be viewed at any time via an LED indicator.



PRODUCT IMAGE
IN PROGRESS

3-in-1 lighting technology.

TOP LED, UV light and laser pointer combine in one device for maximum flexibility: the powerful LED provides optimum illumination for inspections, the UV light enables precise testing and checks, and the laser pointer is ideal for accurate marking. This means that the right light is available for every task at all times.



PRODUCT IMAGE
IN PROGRESS

UV light for precise inspections.

Our light with integrated UV light provides reliable support in everyday work. With up to 18 hours of light duration, it is ideal for quick leak and crack testing, quality and safety checks, and for checking markings, adhesives and coatings. Residues, contaminants and fluorescent test agents are also immediately visible.



PRODUCT IMAGE
IN PROGRESS

Universal attachment.

The spotlight has a retaining clip for easy attachment to a belt or trouser pocket. A strong magnetic base allows secure attachment to metal surfaces for precise illumination of the work area.

Technical attributes.

Length mm (L)	164 mm
Battery type	Li-ion 3.7 V / 1200 mAH
d	20,8 mm
Colour	black
Brightness	600 lm

Logistics data.

Product no.	77490021
GTIN	4018754368051
Weight (g)	78 g
Volume (packaged, dm3)	6.468 dm3
Packing standard	15
WEEE/ElektroG	Kleingeräte B2C
Customs tariff no.	85131000
Country of origin AWR	CHINA
Region of origin	Ausländischer Ursprung
Depth mm (IFS)	200
Width mm (IFS)	45
Height mm (IFS)	45
Weight (gross, kg)	2,060
Weight PAP (kg)	0,120
Weight PVC (kg)	0,000
Length (packaged, mm)	220
Width (packaged, mm)	140
Height (packaging, mm)	210

GTIN.



Images.



STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal