STAHLWILLE®



# Screwdriver set DRALL+

## 4696SK/6

| | |
|---|---|
| Product no. | **96469625** |
| GTIN | **4018754336258** |
| Model | **DRALL⁺ 4696SK/6** |

**Label.** Screwdriver set DRALL+ Model4696SK/6 6 pcs.

**Properties.**

- with impact cap
- with hex shank profile
- black tip
- with 3-component handle
- Chrome Alloy Steel, matt chrome-plated

**Contains 6-pieces:**
4 slotted screwdrivers with impact cap **No. 4622SK**: 0.8 x 4.0 x 90; 1.0 x 5.5 x 100; 1.2 x 6.5 x 125; 1.2 x 8.0 x 150 mm
2 PH cross-head screwdrivers with impact cap **No. 4632SK**: PH1; PH2

## Benefits.

Premium quality 6-piece screwdriver set for PHILLIPS® and slotted screws.

With impact cap for loosening stubborn or rusty screws.

The handle dimensions are precisely matched to the drive sizes for improved ergonomics.

The flared hand stop prevents injuries caused by the tool accidentally slipping and also stops the tool rolling away.

Sturdy Chrome Alloy Steel gives the screwdriver outstanding durability and wear resistance.

## Product highlights.




**Individual.**
The four handle sizes for the screwdrivers are designed specifically to match the drive profiles.



**Outstanding craftsmanship.**
The blades are made of exceptionally fine industrial-grade chrome alloy steel, through-hardened and anchored in the grip in such a way that they stay there.




**Robust.**
Whether slotted or cross-head - the rough blade tips transfer even the greatest torques to the screws - precisely and safely.

## Technologies and features.




**2-component handle**
Our 2-component handle is non-slip and ergonomically designed. It is resistant to the most common oils, greases, fuels, brake fluids, and Skydrol.



**Impact cap**
Our DRALL+ screwdriver is equipped with a metal impact cap for use in extreme conditions, enabling the screwdriver to be impacted with a mallet or hammer.



**Hex shank profile**
Some of our DRALL+ screwdrivers have a hex shank profile at the base of the handle which can be used in conjunction with a spanner to apply more force when loosening tight screws.

## Technical attributes.

| | |
|---|---|
| **Contents** | 4622SK: Size 1 (0.8 x 4.0 x 90 mm); size 2 (1.0 x 5.5 x 100 mm); size 3 (1.2 x 6.5 x 125 mm); size 4 (1.2 x 8.0 x 150 mm)<br>4632SK: PH1; PH2 |
| **Number of tools** | 6 pcs. |

## Logistics data.

| | |
|---|---|
| **Product no.** | 96469625 |
| **GTIN** | 4018754336258 |
| **Weight (g)** | 870 g |
| **Volume (packaged, dm3)** | 2.6122 dm3 |
| **Packing standard** | 1 |
| **WEEE/ElektroG** | nicht ear-pflichtig |
| **Customs tariff no.** | 82054000 |
| **Country of origin AWR** | GERMANY |
| **Region of origin** | Nordrhein-Westfalen |
| **Depth mm (IFS)** | 353 |
| **Width mm (IFS)** | 185 |
| **Height mm (IFS)** | 40 |
| **Weight (gross, kg)** | 0,780 |
| **Weight PAP (kg)** | 0,056 |
| **Weight PVC (kg)** | 0,000 |
| **Length (packaged, mm)** | 353 |
| **Width (packaged, mm)** | 185 |
| **Height (packaging, mm)** | 40 |

## GTIN.

4 018754 336258

**STAHLWILLE Eduard Wille GmbH**
Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0
info@stahlwille.de · www.stahlwille.com
© STAHLWILLE Eduard Wille GmbH, Wuppertal