STAHLWILLE®

Manual calibration systems 7706

7706

Product no.	**96521070**
GTIN	**4018754179152**
Model	**7706-10PC**

Label. Manual calibration system

Properties.

- the special power transmission system prevents the force application point from shifting
- the handwheel drives a lever linearly via a spindle, whereby this movement is converted into a rotary movement for the transducer
- 2 ball-bearing bushings ensure a friction-free contact surface and enable the horizontal alignment of the wrench
- the torque wrench remains in position whilst the load is being applied
- minimal transverse forces and reduced friction minimise measurement errors
- protected by national and international patents

Contains:
transducer, square adaptor, USB adaptor, cable, management software for calibration certificates

Technical attributes.

Length mm (L)	1200 mm
Width mm (b)	800 mm
Height mm (h)	520 mm
Range N·m	2-1000 N·m

Logistics data.

Product no.	96521070
GTIN	4018754179152
Weight (g)	75600 g
Volume (packaged, dm3)	499.2 dm3
Packing standard	1
WEEE/ElektroG	Großgeräte B2B
Customs tariff no.	90318080
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	1200
Width mm (IFS)	800
Height mm (IFS)	520

Weight (gross, kg)	75,600
Weight PAP (kg)	0,000
Weight PVC (kg)	0,000
Length (packaged, mm)	1200
Width (packaged, mm)	800
Height (packaging, mm)	520

Parts list.

11030010
Square drive adaptor

52110051
Jack cable

52110054
Jack-push/pull cable

52110091
Manual calibration system

52110191
Extension unit for No.7791, 7794-1 a.No.7794-2 to 1,000 N·m

52111057
USB adaptor

81320002
Plastic case

81500003
Plastic box, empty

96524002
Laboratory transducer

96524010
Laboratory transducer

96524040
Laboratory transducer

96524100
Laboratory transducer

96583629
USB adaptor, jack cable and TorkMaster software

GTIN.

4 018754 179152

Images.

Kompletteinlagen Nr.	7706-8 PC	7706-9 PC	7706-10 PC	7706-11 PC
EAN	96 52 10 68	96 52 10 69	96 52 10 70	96 52 10 74
Gewicht/kg	16,2	67,6	70,8	100,4
Bereich/Nm	1–10	2–100	2–1000	20–3000
Mechanische Betätigungsvorrichtung	-	Nr. 7791	Nr. 7791	Nr. 7792
Prüfaufsatz für Drehmomentschrauber-Drücker <Gerät ohne> Erweiterung	Nr. 7790	-	-	-
	-	-	Nr. 7791-1	Nr. 7792-1
Messwertaufnehmer Labor	Nr. 7728-15 (1–10 Nm)	Nr. 7728-2 (2–20 Nm) Nr. 7728-10 (10–100 Nm)	Nr. 7728-2 (2–20 Nm) Nr. 7728-10 (10–100 Nm) Nr. 7728-40 (40–400 Nm) Nr. 7728-100 (100–1000 Nm)	Nr. 7728-20 (20–200 Nm) Nr. 7728-100 (100–1000 Nm) Nr. 7728-300 (300–3000 Nm)
USB-Adapter	Nr. 7757-1	Nr. 7757-1	Nr. 7757-1	Nr. 7757-1
Klemmleiste/kabel	Nr. 7751	Nr. 7751	Nr. 7751	Nr. 7751
Kabel zu Nr. 7728 (Messwertaufnehmer zum USB-Adapter)	Nr. 7751-1	Nr. 7751-1	Nr. 7751-1	Nr. 7751-1
Verbindungsadapter	Nr. 431 (1/4" ♦ 1/4" ■)	Nr. 431 (1/4" ♦ 1/4" ■) Nr. 409M (1/4" ♦ 1/2" ■)	Nr. 7797 (1/4" ♦ 3/8" ■) Nr. 7798 (1/4" ♦ 1/2" ■) Nr. 7799 (1/2" ♦ 3/8" ■) Nr. 409M (1/4" ♦ 1/2" ■)	Nr. 7797 (1/4" ♦ 3/8" ■) Nr. 7798 (1/4" ♦ 1/2" ■) Nr. 7799 (1/2" ♦ 3/8" ■) Nr. 7799 (1/2" ♦ 1/2" ■) Nr. 7799-2 (1/2" ♦ 1/4" ■) Nr. 7799-4 (1/4" ♦ 1/2" ■) Nr. 7799-5 (3/8" ♦ 1/2" ■)
Kalibrier-Verkurb Einsteckwerkzeuge	-	Nr. 734K14 (1/4" ■) Nr. 734K15 (1/4" ■)	Nr. 734K14 (1/4" ■) Nr. 734K15 (1/4" ■) Nr. 734K20 (1/2" ■) Nr. 734K40 (1/4" ■)	Nr. 734K14 (1/4" ■) Nr. 734K15 (1/4" ■) Nr. 734K20 (1/2" ■) Nr. 734K40 (1/4" ■)
Verbindungsleine	Nr. 3115 (1/4" ■ / 6,3 ♦ - Nr. 3115/1 (1/4" ■ / 1/4" ♦ / 6,3 ♦ -	-	-	-
Kalibriersoftware	TORWAUTER	TORWAUTER	TORWAUTER	TORWAUTER
DAkkS-Kalibrierscheine	1	2	4	3

STAHLWILLE Eduard Wille GmbH
Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0
info@stahlwille.de · www.stahlwille.com
© STAHLWILLE Eduard Wille GmbH, Wuppertal