



## QuickRelease tool set with tool trolley, 206-pieces

93/206QR

Product no. 98830203

GTIN 4012751314304



**Label.**

QR tool set with tool trolley 93/206QR Drawer6 anthracite, RAL 7016 207 pcs.

### Properties.

**Key features of the tool trolley**  
**two-stage safety concept:**

- central locking with a cylinder lock and folding key
- tilt protection - it is not possible to pull out several drawers at the same time
- 2 handles, all-round impact protection
- durable plastic tray made of ABS with compartments for small parts
- oil and acid-resistant wheels (Ø 125 mm) with bearings protected from the ingress of dirt and fibres, and 2 parking brakes
- perforation on both sides for hooks No. 8031-8041, e.g., for larger tools
- 6 easily removable drawers (black, RAL 9005) with full extension runners (370 mm) and ball bearing cage guide
- with paper roll holder
- particularly suitable for the automotive sector
- safely integrated in the modular Tool Control System (TCS)

1 tool trolley, anthracite **No. 93/6 A**: 6 drawers

**Contains 207-pieces:**

96830283

11 sockets with hex 1/4" **No. 40:** 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13; 14 mm

5 sockets TORX® 1/4" No. 40TX: E4; E5; E6; E7; E8

7 screwdriver sockets TORX®, with drilled hole 1/4" **No. 44KTXB:** T10; T15; T20; T25; T27; T30; T40

3 extensions 1/4" **No. 405:** L. 54; 100; 150 mm

1 bit holder 1/4" **No. 412**: L. 25 mm

12 bits TORX® 1/4" **No. 1410-1421:** T6; T7; T8; T9; T10; T15; T20; T25; T27; T30; T40; T45

16 sockets with hex 3/8" **No. 456:** 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22 mm

3 sockets TORX® 3/8" No. 45TX: E10; E12; E14

3 screwdriver sockets INHEX 3/8" **No. 49:** 5: 6: 7 mm

3 screwdriver sockets TORX® 3/8" **No. 49TX**: T30: T40: T45

1 QuickRelease speeder brace 3/8" **No. 453QR**: L. 408 mm

3 extensions 3/8" No. 427: L. 76; 160; 240 mm

17 sockets with hex 1/2" **No. 52:** 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 24; 27; 30; 32 mm

6 sockets TORX® 1/2" **No. 50TX**: E11; E12; E14; E18; E20; E24  
2 IMPACT wheel nut sockets with hex 1/2" **No. 2309IMP K**: 17; 19 mm  
5 screwdriver sockets INHEX 1/2" **No. 54**: 8; 10; 12; 14; 17 mm  
4 screwdriver sockets TORX® 1/2" **No. 54TX**: T45; T50; T55; T60  
1 QuickRelease T-handle 1/2" **No. 506QR**: L. 300 mm  
3 extensions 1/2" **No. 509**: L. 75; 130; 255 mm  
1 QuickRelease fine-tooth ratchet 1/2" **No. 512QR N80**: L. 265.5 mm

#### 96830284

6 pin punches **No. 108**: Ø 2, 3, 4, 5, 6, 8 mm  
1 flat chisel **No. 102**: W. 17; L. 150 mm  
1 centre punch **No. 105**: Ø 10 mm  
1 cross-cut chisel **No. 103**: W. 17; L. 150 mm  
1 tape measure **No. 12935**: L. 3 m  
1 dead blow hammer **No. 10959**: Ø 40 mm  
1 engineer's hammer **No. 10961**: 500g  
1 magnetic lifter **No. 12600**: 500 g  
1 cable knife **No. 12320** Blade length: 90 mm  
1 telescopic mirror **No. 12921**: L. 178-921 mm  
1 torch **No. 13132**: 130 lm  
2 batteries AAA 1.5 V  
1 brake caliper brush, steel wire **No. 12373**: L. 230 mm  
1 claw lifter **No. 12922**: Ø 6 mm, L. 540 mm

#### 96830285

8 double-ended ring spanners **No. 20**: 6 x 7; 8 x 9; 10 x 11; 12 x 13; 14 x 15; 16 x 17; 18 x 19; 20 x 22 mm  
1 slotted screwdriver with impact cap **No. 4622SK**: 1.2 x 10 x 175 mm  
1 triangular bearing scraper **No. 10676**: 85 x 12 x 315 mm  
1 lever bar **No. 12770**: L. 260 mm  
1 gasket scraper **No. 12718**: L. 265 mm  
1 ball-ended L-Key set hex **No. 10767/9**: 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10 mm  
1 self-grip wrench **No. 6564**: L. 250 mm  
1 PZ cross-head screwdriver **No. 4744**: PZ2  
1 PH cross-head screwdriver **No. 4734**: PH2  
1 slotted screwdriver **No. 4724**: 0.6 x 3.5 x 25 mm

#### 96830286

23 combination spanners **No. 13**: 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22; 23; 24; 27; 29; 30; 32 mm  
11 double open-ended spanners **No. 10**: 6 x 7; 8 x 9; 10 x 11; 10 x 12; 10 x 13; 13 x 14; 14 x 15; 16 x 17; 18 x 19; 20 x 22; 21 x 24  
4 double-ended ring spanners TORX® **No. 21TX**: E6 x E8; E10 x E12; E14 x E18; E20 x E24

#### 96830287

4 slotted screwdrivers **No. 4620**: 0.6 x 3.5 x 75; 0.8 x 4.0 x 100; 1.0 x 5.5 x 125; 1.2 x 6.5 x 150 mm  
3 PH cross-head screwdrivers **No. 4630**: PH1; PH2; PH3  
1 water pump pliers **No. 6572**: L. 240 mm  
4 circlip pliers **No. 6543, 6545**: J1; J2; A1; A2  
1 combination pliers **No. 6700**: L. 180 mm  
1 heavy-duty side cutters **No. 6721** L. 160 mm  
1 telephone pliers **No. 6730**: L. 200 mm  
1 telephone pliers **No. 6731**: L. 200 mm

## Benefits.

Heavy-duty, robust tool trolley with 6 fully extendable drawers and central locking, including 206-piece tool set.

Patented QuickRelease locking system secures all components, from the ratchet to the extension to the socket.

The tools are securely integrated in durable, chemical-resistant TCS inlays with precise recesses and coloured signal areas.

Extensive automotive range with fine-tooth ratchets, sockets up to 32 mm, measuring and testing tools, screwdrivers, pliers and much more

The heavy-duty tool trolley 93/6 has a static load capacity of up to 500 kg - the lower drawer has a load capacity of up to 45 kg.

## Product highlights.



PRODUCT IMAGE  
IN PROGRESS

### Complete solution for automotive and industrial applications.

Our comprehensive tool set offers the right solution for professional applications in the automotive and industrial sectors: whether replacing spark plugs, loosening stubborn bolted joints on axle or chassis components, performing electrical testing or maintenance work on machines. It includes fine-tooth ratchets with QuickRelease, sockets in 1/4", 3/8" and 1/2" up to 32 mm, a versatile bit set, long spark plug sockets, precise measuring and testing tools, a wide selection of screwdrivers and pliers, and numerous special tools. This equipment provides a reliable basis for all daily tasks in the workshop and in industrial environments.



PRODUCT IMAGE  
IN PROGRESS

### Takes on anything.

The 877 x 481 mm work surface is particularly suitable for working on large components. The integrated compartments for small parts ensure a tidy and clearly arranged storage area. Thanks to its robust construction, the TTS 93 has a static load capacity of 500 kg. Thanks to reinforcements, the drawers can be loaded with 30 kg and the bottom drawer even with 45 kg.




PRODUCT IMAGE  
IN PROGRESS

### Full configuration as standard.

Whether paper roll holders, perforations on both sides for attaching accessories, locking brakes or oil and acid-resistant smooth-running castors (Ø 125 mm) with thread protection. Our tool trolley comes with many features as standard.

## Technologies and features.



### Modular Inlay System

This flexible solution for tool storage makes it possible to customise your tool trolleys and workbenches with 1/6, 1/3, 2/3 or 3/3 foam inlays.



### Tool Control System

The intelligent modular inlay system protects and organises the tools in tool boxes, tool trolleys and workbenches. Two-colour foam inlays make checking the completeness of the tools quick and easy.



### QuickRelease

The QuickRelease safety lock prevents unintentional loss of sockets and insert tools. These click securely into place, and are only released again at the push of a button for a quick tool change. In transducers: The QuickRelease safety lock helps you to quickly mount and change transducers. The transducers lock into the calibration system and only unlock again at the push of the buttons.



### High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

## Technical attributes.

|                   |                      |
|-------------------|----------------------|
| Length mm (L)     | 481 mm               |
| Width mm (b)      | 877 mm               |
| Height mm (h)     | 1000 mm              |
| Number of drawers | 6                    |
| Colour            | anthracite, RAL 7016 |
| Number of tools   | 207 pcs.             |

## Logistics data.

|                        |                     |
|------------------------|---------------------|
| Product no.            | 98830203            |
| GTIN                   | 4018754346394       |
| Weight (g)             | 100000 g            |
| Volume (packaged, dm3) | 686.4 dm3           |
| Packing standard       | 1                   |
| WEEE/ElektroG          | nicht ear-pflichtig |
| Customs tariff no.     | 82060000            |
| Country of origin AWR  | GERMANY             |
| Region of origin       | Nordrhein-Westfalen |

|                        |        |
|------------------------|--------|
| Depth mm (IFS)         | 800    |
| Width mm (IFS)         | 650    |
| Height mm (IFS)        | 1320   |
| Weight (gross, kg)     | 82,000 |
| Weight PAP (kg)        | 3,000  |
| Weight PVC (kg)        | 0,000  |
| Length (packaged, mm)  | 800    |
| Width (packaged, mm)   | 650    |
| Height (packaging, mm) | 1320   |

Parts list.



01010005  
Socket



01010006  
Socket



01010007  
Socket



01010008  
Socket



01010009  
Socket



01010010  
Socket



01010011  
Socket



01010012  
Socket



01010013  
Socket



01010014  
Socket



01010055  
Socket



01270004  
Socket



01270005  
Socket



01270006  
Socket



01270007  
Socket



01270008  
Socket



02110021  
Socket02270014  
Socket

03030013  
Socket




03030017  
Socket



03030021  
Socket



03030030  
Socket



A close-up photograph of a 1414-T10 drill bit. The bit is dark grey with a hexagonal body. The text "1414-T10" is engraved vertically on the side of the hexagon. The tip of the bit is visible at the top.

A close-up photograph of a 1415-T15 screwdriver bit. The bit is made of metal and has a hexagonal base with the text "1415-T15" engraved on it. The tip of the bit is pointed and has a small notch at the very end.



8



08130027  
Screwdriver bit



08130030  
Screwdriver bit



08130040  
Screwdriver bit



08130045  
Screwdriver bit



11010001  
Extension



11010002  
Extension



11010006  
Extension



11111020  
QR fine-tooth ratchet



11180010  
Bit holder



12010001  
Extension



12010002  
Extension



12010003  
Extension



12111020  
QR fine-tooth ratchet



13010002  
Extension



13010003  
Extension



13010004  
Extension



13071000  
QR T-handle



13111120  
QR fine-tooth ratchet



23091017  
IMPACT wheel nut  
socket



23091019  
IMPACT wheel nut  
socket



40030607  
Double open-ended  
spanner



40030809  
Double open-ended  
spanner



40031011  
Double open-ended  
spanner



40031012  
Double open-ended  
spanner



40031013  
Double open-ended  
spanner



40031314  
Double open-ended  
spanner



40031415  
Double open-ended  
spanner



40031617  
Double open-ended  
spanner



40031819  
Double open-ended  
spanner



40032022  
Double open-ended  
spanner



40032124  
Double open-ended  
spanner



40080606  
Combination spanner



40080707  
Combination spanner



40080808  
Combination spanner



40080909  
Combination spanner



40081010  
Combination spanner



40081111  
Combination spanner



40081212  
Combination spanner



40081313  
Combination spanner



40081414  
Combination spanner



40081515  
Combination spanner



40081616  
Combination spanner



40081717  
Combination spanner



40081818  
Combination spanner



40081919  
Combination spanner



40082020  
Combination spanner



40082121  
Combination spanner



40082222  
Combination spanner



40082323  
Combination spanner



40082424  
Combination spanner



40082727  
Combination spanner



40082929  
Combination spanner



40083030  
Combination spanner



40083232  
Combination spanner



41040607  
Double-ended ring spanner



41040809  
Double-ended ring spanner



41041011  
Double-ended ring spanner



41041213  
Double-ended ring spanner



41041415  
Double-ended ring spanner



41041617  
Double-ended ring spanner



41041819  
Double-ended ring spanner



41042022  
Double-ended ring spanner



41250608  
Double-ended ring spanner



41251012  
Double-ended ring spanner



41251418  
Double-ended ring spanner



41252024  
Double-ended ring spanner



46203035  
Slotted screwdriver  
DRALL+



46203040  
Slotted screwdriver  
DRALL+



46203055  
Slotted screwdriver  
DRALL+



46203065  
Slotted screwdriver  
DRALL+



46223210  
Slotted screwdriver  
DRALL+



46303001  
PH cross-head  
screwdriver DRALL+



46303002  
PH cross-head  
screwdriver DRALL+



46303003  
PH cross-head  
screwdriver DRALL+



47241045  
Slotted screwdriver  
DRALL®



47341002  
PH cross-head  
screwdriver DRALL®



47441002  
PZ cross-head  
screwdriver DRALL®



59220003  
Battery



65434101  
Circlip pliers for  
internal circlips



65434102  
Circlip pliers for  
internal circlips



65454101  
Circlip pliers for  
external circlips



65454102  
Circlip pliers for  
external circlips



65642250  
Self-grip wrench



65726240  
Water pump pliers  
FastGRIP



67001180  
Combination pliers



67211160  
Heavy-duty side cutter



67301200  
Telephone pliers



67311200  
Telephone pliers



70020003  
Flat chisel



70040003  
Cross-cut chisel



70050005  
Centre punch



70070003  
Pin punch



70070004  
Pin punch



70070005  
Pin punch



70070006  
Pin punch



70070013  
Pin punch



70071152  
Pin punch



70110011  
Engineer's hammer



70190140  
Dead blow hammer



72033101  
Gasket scraper




72083103  
Triangular bearing  
scraper



74593101  
Lever bar



77020000  
Cable knife



77040010  
Tape measure



77260025  
Magnetic lifter



77401057  
Telescopic stainless  
steel mirror



77401103  
Claw lifter




77440001  
Brake caliper brush



77490014  
Torch



81200154  
Tool trolley




96432600  
Hex ball-ended L-Key  
set

GTIN.



## Images.



**STAHLWILLE Eduard Wille GmbH**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal