



## Sockets 1/2", metric, long

### 51S



Product no. **03240022**  
GTIN **4018754007189**  
Model **51S 22**



**Label.** 1/2 " Socket Size mm L.83mm

#### Properties.

- long version
- hex with AS-Drive profile
- 1/2" internal square drive
- HPQ® high performance steel, chrome-plated
- size 20.8 mm - 13/16": with rubber insert for spark plugs
- DIN 3124 / ISO 2725-1 / DIN EN 3710 / DIN EN 3709


## Technologies and features.



#### High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

## Technical drawing.



## Technical attributes.

|                           |                                                       |
|---------------------------|-------------------------------------------------------|
| Size [mm]                 | 22 mm                                                 |
| Square drive inner (inch) | 1/2 "                                                 |
| Length mm (L)             | 83 mm                                                 |
| Drive profile             | hex AS-Drive                                          |
| d1                        | 29,7 mm                                               |
| d2                        | 27,5 mm                                               |
| d3                        | 21 mm                                                 |
| DIN                       | DIN 3124 / ISO 2725-1,<br>DIN EN 3710, DIN EN<br>3709 |
| Alloy                     | HPQ® high performance<br>steel                        |
| t1                        | 35 mm                                                 |
| t2                        | 65,9 mm                                               |

## Logistics data.

|                        |                     |
|------------------------|---------------------|
| Product no.            | 03240022            |
| GTIN                   | 4018754007189       |
| Weight (g)             | 210 g               |
| Volume (packaged, dm3) | 0.78812 dm3         |
| Packing standard       | 10                  |
| WEEE/ElektroG          | nicht ear-pflichtig |
| Customs tariff no.     | 82042000            |
| Country of origin AWR  | GERMANY             |
| Region of origin       | Nordrhein-Westfalen |
| Depth mm (IFS)         | 83                  |
| Width mm (IFS)         | 30                  |
| Height mm (IFS)        | 30                  |
| Weight (gross, kg)     | 2,460               |
| Weight PAP (kg)        | 0,000               |
| Weight PVC (kg)        | 0,010               |
| Length (packaged, mm)  | 152                 |
| Width (packaged, mm)   | 85                  |
| Height (packaging, mm) | 61                  |

## GTIN.





**STAHLWILLE Eduard Wille GmbH**

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

[info@stahlwille.de](mailto:info@stahlwille.de) · [www.stahlwille.com](http://www.stahlwille.com)

© STAHLWILLE Eduard Wille GmbH, Wuppertal