



Sockets 1/4", metric

40

Product no. 01010045
GTIN 4018754000135
Model 40 4,5



Label.

1/4 " hex AS-Drive Socket Size 4,5mm L.23mm

Properties.

- hex with AS-Drive profile
- 1/4" internal square drive
- HPQ® high performance steel, chrome-plated
- DIN 3124 / ISO 2725-1 / DIN EN 3709 / ASME B 107.5M

Benefits.

Made in Germany - STAHLWILLE 1/4 " Sockets 1/4", metric 4,5 mm Length 23 mm.

Product-specific forming - forged or cold-extruded - ensures exceptional strength and durability.

hex AS-Drive, HPQ® high performance steel, chrome-plated.

Extremely resilient, exceptionally durable.




Technologies and features.



High Performance Quality (HPQ®)

Our HPQ® tool is made of wear-resistant high-performance steel, yet is thin-walled and lightweight. It withstands high torques and is ideal for work in confined spaces such as turbines.

Technical drawing.



Technical attributes.

Size [mm]	4,5 mm
Square drive inner (inch)	1/4 "
Length mm (L)	23 mm
Drive profile	hex AS-Drive
d1	7,3 mm
d2	10,7 mm
d3	3,7 mm
DIN	DIN 3124 / ISO 2725-1, ASME B 107.5M, DIN EN 3709
Alloy	HPQ® high performance steel
t1	4 mm
t2	15 mm

Logistics data.

Product no.	01010045
GTIN	4018754000135
Weight (g)	9 g
Volume (packaged, dm3)	0.27 dm3
Packing standard	100
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82042000
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	23
Width mm (IFS)	11
Height mm (IFS)	11
Weight (gross, kg)	0,900
Weight PAP (kg)	0,000
Weight PVC (kg)	0,002
Length (packaged, mm)	90
Width (packaged, mm)	25

Height (packaging, mm)

120

GTIN.



STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal