Internal pullers

11400

Product no.	**71040007**
GTIN	**4018754342136**
Model	**11400/6**

Label. Internal puller Size 6 Spread range35-45mm

Properties.

- for very tight ball bearings, ball bearing outer races and bushings that are not freely accessible from the outside
- removal is carried out by inserting the internal puller into the bearing and screwing in the spindle
- the expanding jaws spread and the lugs locate under the bearing
- can be used with slide hammers 11402/1-2 or counter stays 11401/1-3

Benefits.

Durable tool for extracting ball bearings, bushings, oil seals or similar .

Simple removal is carried out by inserting the internal puller into the bearing and screwing in the spindle.

Can be combined with slide hammers and counter stays for quick removal of components.

Easy on the workpiece thanks to even force distribution.

The sharp edges of the shells securely grip and pull out even bearings that sit close to the back panel.

Product highlights.

Precise for tight-fitting bearings.
The internal puller makes it easy to pull out bearings, bushings and similar components that are close to the wall. The bearings are securely gripped by the bore and pulled out quickly thanks to the good clamping effect. With a spreading range of 12-15 mm, the internal puller is reliable even in demanding applications.

Technical drawing.



Technical attributes.

Size	6
Model No.	11400/6
External hex drive (mm)	17 mm
Length mm (L)	170 mm
Width mm (b)	42 mm
Height mm (h)	42 mm
Connection thread	M14 x 1,5
Spreading range (e) min./ max.	35-45 mm
Ball bearing ISO	6207; 6208; 6209

Logistics data.

Product no.	71040007
GTIN	4018754342136
Weight (g)	649 g
Volume (packaged, dm3)	0.93696 dm3
Packing standard	1
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82055980
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	170
Width mm (IFS)	42
Height mm (IFS)	42
Weight (gross, kg)	0,714
Weight PAP (kg)	0,062
Weight PVC (kg)	0,000
Length (packaged, mm)	183
Width (packaged, mm)	80

Height (packaging, mm)	64

GTIN.

4 018754 342136

Images.



STAHLWILLE Eduard Wille GmbH
Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0
info@stahlwille.de · www.stahlwille.com
© STAHLWILLE Eduard Wille GmbH, Wuppertal