



Pullers

11250

Product no.	71025001
GTIN	4018754341948
Model	11250/1

Label.

Puller Clamping w.280mm x Clamping d.390mm

Properties.

- two-armed
- with swivelling extractor hooks
- extractor hooks and beam are connected by movable tabs
- for V-belt pulleys and flywheels on long shafts
- when the spindle is tightened, the extractor hooks are tensioned and tighten
- variable clamping depth possible by adjusting the extractor hooks
- nitrided spindle, no lubrication required, maintenance-free
- zinc plated

Benefits.

The greater the extraction force, the stronger the grip of the extractor hooks on the workpiece to be extracted.


Particularly suitable for removing V-belt pulleys and flywheels mounted on longer shafts.

Easy on the workpiece thanks to even force distribution.

Adjustable clamping depth for universal use.

The nitrided surface of the spindle allows it to move easily so it does not require additional lubrication.

Technical drawing.



Technical attributes.

Size	1
External hex drive (mm)	22 mm
Number of hooks	2
max. load	8 t
Clamping depth (h) mm	390 mm
Span mm (w)	280 mm
Spindle thread size	G 1/2 x 250

Logistics data.

Product no.	71025001
GTIN	4018754341948
Weight (g)	4983 g
Volume (packaged, dm ³)	25.6355 dm ³
Packing standard	1
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82055980
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	455
Width mm (IFS)	230
Height mm (IFS)	53
Weight (gross, kg)	6,100
Weight PAP (kg)	1,138
Weight PVC (kg)	0,000
Length (packaged, mm)	590
Width (packaged, mm)	395
Height (packaging, mm)	110

GTIN.



4 018754 341948

Spare part(s), spare part(s) for.



79281004
Puller spindle

Images.



STAHLWILLE Eduard Wille GmbH

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0

info@stahlwille.de · www.stahlwille.com

© STAHLWILLE Eduard Wille GmbH, Wuppertal