STAHLWILLE®



Socket set, 40-pieces

TCS WT 40/52/27/13

Product no.	**96830117**
GTIN	**4018754248728**
Model	**TCS WT 40/52/27/13**

Label. Socket set

Properties.

- for the removable tray of tool trolley No. 13217
- cannot be combined with transparent cover 13217 TA
- safely integrated in the modular Tool Control System (TCS)

Contains 40-pieces:
10 sockets with hex 1/4" **No. 40:** 5.5; 6; 7; 8; 9; 10; 11; 12; 13; 14 mm
1 drive handle 1/4" **No. 400N**: L. 150 mm
1 T-handle 1/4" **No. 404**: L. 116 mm
2 extensions 1/4" **No. 405**: L. 54; 150 mm
1 universal joint 1/4" **No. 407**: L. 37 mm
1 bit holder 1/4" **No. 412**: L 25 mm
1 QuickRelease fine-tooth ratchet 1/4" **No. 415QR N**: L. 117 mm
17 sockets with hex 1/2" **No. 52**: 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 24; 27; 30; 32 mm
1 T-handle 1/2" **No. 506**: L. 300 mm
3 extensions 1/2" **No. 509**: L. 52; 130; 255 mm
1 universal joint 1/2" **No. 510**: L. 71 mm
1 QuickRelease fine-tooth ratchet 1/2" **No. 512QR N80**: L. 265.5 mm

Technologies and features.



Tool Control System
The intelligent modular inlay system protects and organises the tools in tool boxes, tool trolleys and workbenches. Two-colour foam inlays make checking the completeness of the tools quick and easy.



QuickRelease
The QuickRelease safety lock prevents unintentional loss of sockets and insert tools. These click securely into place, and are only released again at the push of a button for a quick tool change. In transducers: The QuickRelease safety lock helps you to quickly mount and change transducers. The transducers lock into the calibration system and only unlock again at the push of the buttons.

Technical attributes.

Square drive inner (inch)	1/4, 1/2 "
Length mm (L)	350 mm
Width mm (b)	530 mm
Height mm (h)	60 mm
Number of tools	40 pcs.

Logistics data.

Product no.	96830117
GTIN	4018754248728
Weight (g)	4000 g
Volume (packaged, dm3)	6.9 dm3
Packing standard	1
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82060000
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	460
Width mm (IFS)	250
Height mm (IFS)	60
Weight (gross, kg)	4,000
Weight PAP (kg)	0,000
Weight PVC (kg)	0,008
Length (packaged, mm)	460
Width (packaged, mm)	250
Height (packaging, mm)	60

Parts list.



01010006
Socket



01010007
Socket



01010008
Socket



01010009
Socket



01010010
Socket



01010011
Socket



01010012
Socket



01010013
Socket



01010014
Socket



01010055
Socket



03030010
Socket



03030011
Socket



03030012
Socket



03030013
Socket



03030014
Socket



03030015
Socket



03030016
Socket



03030017
Socket



03030018
Socket



03030019
Socket



03030020
Socket



03030021
Socket



03030022
Socket



03030024
Socket



03030027
Socket



03030030
Socket



03030032
Socket



11010001
Extension



11010002
Extension



11020000
Universal joint



11050010
Drive handle



11070000
T-handle



11111020
QR fine-tooth ratchet



11180010
Bit holder



13010001
Extension



13010002
Extension



13010003
Extension



13020000
Universal joint



13070000
T-handle



13111120
QR fine-tooth ratchet

GTIN.

4 018754 248728

STAHLWILLE Eduard Wille GmbH
Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0
info@stahlwille.de · www.stahlwille.com
© STAHLWILLE Eduard Wille GmbH, Wuppertal