



## Water pump pliers

### WASSERPUMPENZANGE RP 250



Product no. **87188010**  
GTIN **4005887288004**  
Model **188 250**



**Label.** Water pump pliers L.250mm

#### Properties.

- professional version for continuous use
- self-clamping on the workpiece, reduces effort and prevents slipping
- sliding slip joint with double support
- easy to adjust thanks to locking hole adjustment
- induction-hardened serration for impressive dimensional stability and durability
- with built-in protection against crush injuries
- high-quality, hardened and tempered for excellent wear resistance
- with knurled handles
- DIN ISO 8976

## Product highlights.



PRODUCT IMAGE  
IN PROGRESS

#### Safe and comfortable handling.

For precise work and powerful gripping - the red one with the yellow dot and comfortable, non-slip handles. The non-slip, knurled surface allows for safe, fatigue-free working, even with greasy hands. The integrated clamp protection reliably protects against crush injuries.



PRODUCT IMAGE  
IN PROGRESS

#### Particularly durable and wear-resistant.

Made from high-quality Chrome Alloy Steel and high-quality tempered, our water pump pliers meet the highest standards of robustness and durability. The inductively hardened jaw serration gives them additional hardness and wear resistance.

PRODUCT IMAGE  
IN PROGRESS**High stability.**

The double-supported sliding slip joint ensures exceptional stability and a particularly long service life, even under high loads. The robust construction guarantees reliable performance, even under demanding conditions.

**Technical attributes.**

|                          |                       |
|--------------------------|-----------------------|
| Jaw opening max. (mm)    | 30 mm                 |
| Length mm (L)            | 250 mm                |
| Header                   | polished              |
| Handles                  | red lacquered         |
| DIN                      | DIN ISO 8976          |
| Alloy                    | Chrome Vanadium Steel |
| Opening width adjustment | 6x                    |

**Logistics data.**

|                        |                     |
|------------------------|---------------------|
| Product no.            | 87188010            |
| GTIN                   | 4005887288004       |
| Weight (g)             | 295 g               |
| Volume (packaged, dm3) | 0.15792 dm3         |
| Packing standard       | 1                   |
| WEEE/ElektroG          | nicht ear-pflichtig |
| Customs tariff no.     | 82032000            |
| Country of origin AWR  | GERMANY             |
| Region of origin       | Nordrhein-Westfalen |
| Depth mm (IFS)         | 240                 |
| Width mm (IFS)         | 47                  |
| Height mm (IFS)        | 14                  |
| Weight (gross, kg)     | 0,290               |
| Weight PAP (kg)        | 0,000               |
| Weight PVC (kg)        | 0,002               |
| Length (packaged, mm)  | 240                 |
| Width (packaged, mm)   | 47                  |
| Height (packaging, mm) | 14                  |

**GTIN.**

## Images.



**STAHLWILLE Eduard Wille GmbH**

Lindenallee 27 · 42349 Wuppertal · Germany · Tel.: +49 202 4791-0

[sales@vbw.de](mailto:sales@vbw.de) · [www.vbw.de](http://www.vbw.de)

© STAHLWILLE Eduard Wille GmbH, Wuppertal