STAHLWILLE®



IMPACT sockets 1/2"

50IMP

Product no.	**23010008**
GTIN	**4018754233731**
Model	**50 IMP 8**

Label. IMPACT socket 1/2 " 8mm L.38mm

Properties.

- with hex
- 1/2" internal square drive
- DIN 3129 / ISO 1711-2
- Chrome Alloy Steel, gunmetal finish

Product highlights.




Optimised functionality.
All IMPACT sockets have a through cross hole for the connecting pin and a deep groove for the rubber locking ring. The locking pin is not stressed during use.

PRODUCT IMAGE IN PROGRESS

High fitting accuracy.
The high fitting accuracy due to tight tolerances guarantees optimum, backlash-free transmission of forces to the socket.

Technical drawing.



Technical attributes.

Size [mm]	8 mm
Square drive inner (inch)	1/2 "
Length mm (L)	38 mm
Drive profile	hex
d1	14,3 mm
d2	25 mm
DIN	DIN 3129 / ISO 1711-2
t	21,5 mm

Logistics data.

Product no.	23010008
GTIN	4018754233731
Weight (g)	86 g
Volume (packaged, dm3)	0.3375 dm3
Packing standard	10
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82042000
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	32
Width mm (IFS)	24
Height mm (IFS)	24
Weight (gross, kg)	0,874
Weight PAP (kg)	0,000
Weight PVC (kg)	0,004
Length (packaged, mm)	150
Width (packaged, mm)	90
Height (packaging, mm)	25

GTIN.

4 018754 233731

Accessories (for).



39011940
IMPACT rubber ring

STAHLWILLE Eduard Wille GmbH
Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0
info@stahlwille.de · www.stahlwille.com
© STAHLWILLE Eduard Wille GmbH, Wuppertal