STAHLWILLE®

VDE TORX® screwdriver DRALL+ 4676 VDE

4676 VDE



Product no.	**46763030**
GTIN	**4018754338214**
Model	**DRALL⁺ 4676 VDE T30 TORX®**

Label. VDE TORX® screwdriver DRALL+ T30 L.150mm

Properties.


- for recessed TORX® screws
- reduced blade diameter to reach deep joints
- blade with integrated protective insulation
- VDE insulated up to 1,000 V
- protective insulation according to IEC 60900-AC 1,000 V / DC 1,500 V
- gunmetal finished blade tip
- 3-component handle with laser marking
- Chrome Alloy Steel

Technologies and features.



3-component handle
Our 3-component handle combines hard and soft components, which give it its optimised ergonomics, maximum power transmission, and increased safety during daily use.

Technical drawing.



Technical attributes.

for screws	M6
Size drive profile	T30
TORX® drive profile (mm)	5,61 mm
L1	150 mm
L2	265 mm
Drive profile	TORX®
DIN	DIN EN 60900

Logistics data.

Product no.	46763030
GTIN	4018754338214
Weight (g)	106 g
Volume (packaged, dm3)	2.241465 dm3
Packing standard	10
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82054000
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	265
Width mm (IFS)	34
Height mm (IFS)	34
Weight (gross, kg)	1,198
Weight PAP (kg)	0,102
Weight PVC (kg)	0,000
Length (packaged, mm)	267
Width (packaged, mm)	115
Height (packaging, mm)	73

GTIN.

4 018754 338214

STAHLWILLE Eduard Wille GmbH
Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0
info@stahlwille.de · www.stahlwille.com
© STAHLWILLE Eduard Wille GmbH, Wuppertal