STAHLWILLE®



Pullers, three-armed

11210

Product no.	**71035001**
GTIN	**4018754342013**
Model	**11210/1**

Label. Puller Clamping w.280mm x Clamping d.390mm

Properties.

- three-armed
- with swivelling extractor hooks
- extractor hooks and beam are connected by movable tabs
- for V-belt pulleys and flywheels on long shafts
- when the spindle is tightened, the extractor hooks are tensioned and tighten
- variable clamping depth possible by adjusting the extractor hooks
- nitrided spindle, no lubrication required, maintenance-free
- zinc plated

Benefits.

Centred extraction thanks to even load distribution over 3 puller hooks.


Adjustable clamping depth for universal use.

Easy on the workpiece thanks to even force distribution.

The greater the extraction force, the stronger the grip of the extractor hooks on the workpiece to be extracted.

Particularly suitable for removing V-belt pulleys and flywheels mounted on longer shafts.

Technical drawing.



Technical attributes.

Size	1
External hex drive (mm)	22 mm
Number of hooks	3
max. load	12 t
Clamping depth (h) mm	390 mm
Span mm (w)	280 mm
Spindle thread size	G 1/2 x 250

Logistics data.

Product no.	71035001
GTIN	4018754342013
Weight (g)	7700 g
Volume (packaged, dm3)	34.224 dm3
Packing standard	1
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82055980
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	455
Width mm (IFS)	210
Height mm (IFS)	175
Weight (gross, kg)	7,500
Weight PAP (kg)	0,812
Weight PVC (kg)	0,000
Length (packaged, mm)	620
Width (packaged, mm)	240
Height (packaging, mm)	230

GTIN.

4 018754 342013

Spare part(s), spare part(s) for.

PRODUCT IMAGE IN PROGRESS

79281004
Puller spindle

Images.



STAHLWILLE Eduard Wille GmbH
Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0
info@stahlwille.de · www.stahlwille.com
© STAHLWILLE Eduard Wille GmbH, Wuppertal