Pipe cutters for steel

3RD-ROHRABSCH.RAP.STAHL 2



Product no.	**56010012**
GTIN	**4022668100126**
Model	**ALARM-Rapid 10012 1/2-2**

Label. Pipe cutters for steel 12,7-50,8mm

Properties.

- with 3 cutting wheels and 2 guide rollers for separate replacement
- the device does not have to be guided completely around the pipe
- this makes it particularly suitable for working in corners or in hard-to-reach places
- steel cutting wheels also suitable for ductile cast iron, as well as for cutting pipes made of stainless and acid-resistant steels

Benefits.

The high-quality ALARM pipe cutters enable precise and clean cutting of steel pipes up to Ø 60 mm, ensuring accurately prepared pipe ends.

Equipped with 3 interchangeable cutting wheels for precise cutting even in hard-to-reach places.

The forged steel body makes this pipe cutter particularly resistant to daily, demanding insert.

The integrated spring pressure system enables a controlled, even cut with significantly less effort.

Wide rollers and a chrome-plated spindle ensure safe, precise guidance.

Product highlights.



Robust in tough construction site use.
The fully forged steel body gives the ALARM pipe cutters high stability and durability. Even under heavy load in daily use - whether in plumbing, heating or industrial pipework - the tool remains reliable, dimensionally stable and powerful.



Clean cuts and long service life.
The intelligent spring pressure system ensures optimum contact pressure during rotation. This ensures that the pipe is cut evenly - without jamming, without scoring and without unnecessary load on the cutting wheel.



Optimal adjustment.
The pipe cutters are equipped with 3 interchangeable cutting wheels and can therefore be optimally adapted to different pipe materials and application situations. The practical interchangeable function ensures a high degree of flexibility - especially when different types of pipes are being processed one after the other on the construction site.



Non-slip grip.
The ergonomically shaped T-handle ensures a comfortable, non-slip grip - even with wet or oily hands. The non-slip surface allows the steel pipe cutter to be guided safely at all times and remains reliable in the hand, preventing slipping and enabling precise, controlled work.

Technical attributes.

Length mm (L)	400 mm
Pipe diameter max. (inch)	2 "
Pipe diameter min. (inch)	1/2 "

Logistics data.

Product no.	56010012
GTIN	4022668100126
Weight (g)	2200 g
Volume (packaged, dm3)	3 dm3
Packing standard	1
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82034000
Country of origin AWR	SPAIN

Region of origin	Ausländischer Ursprung
Depth mm (IFS)	400
Width mm (IFS)	150
Height mm (IFS)	50
Weight (gross, kg)	2,300
Weight PAP (kg)	0,068
Weight PVC (kg)	0,000
Length (packaged, mm)	400
Width (packaged, mm)	150
Height (packaging, mm)	50

GTIN.

4 022668 100126

Spare part(s), spare part(s) for.



56010054
Guided roller



56010042
Cutting wheel

Images.



STAHLWILLE Eduard Wille GmbH
Lindenallee 27 · 42349 Wuppertal · Germany · Tel.: +49 202 4791-0
info@alarm-werkzeug.de · www.alarm-werkzeuge.de
© STAHLWILLE Eduard Wille GmbH, Wuppertal