


Control cabinet key 13 in 1

Profi-Key 172

Product no.	**87172190**
GTIN	**4005887009142**
Model	**Profi-Key 172**

Label. Control cabinet key 13 in 1

Properties.

- universal keys for all shut-off and locking systems, including new buildings, utility locks and heating ventilation
- can also be used for door handle and window handle mounts
- functions: stepped square drive 6-10 mm; internal square drive 7-8 mm; internal triangle drive 9, 10 mm; ventilation square drive 5 mm; external hex 3 mm
- also for PH size 2 and slotted 1.0 x 7 mm
- with chain and plastic bit adaptor 6.3 mm (1/4")
- made from diecast zinc
- supplied in clear packaging with enclosed description

Benefits.

A universal key for effortless opening of switch cabinets, valves and technical equipment in gas, water and electricity supply systems.

Thanks to the additional double bit, it can also be used as a PHILLIPS® and slotted screwdriver.

Made from robust die-cast zinc for greater durability and reliable performance even under continuous use.

The key features an external hex for the (dis)assembly of door and window handles and a heating vent key, among other things.

Thanks to its compact design, the control cabinet key saves space in the tool inventory and at the same time lies securely and ergonomically in the hand.

Product highlights.



Multifunctional for building services engineering.
Our universal control cabinet key combines several locks in a single tool, offering you maximum flexibility and time savings for all maintenance tasks in building services engineering. Equipped with different socket sizes, it allows effortless opening, maintenance and operation of valves, lifts, box doors and mains switchboards.



Use as a screwdriver.
This control cabinet key is equipped with a practical plastic adapter and a reversible double bit (6.3 mm or 1/4") for PHILLIPS® and slotted screws, making it ideal for screwdriving work, e.g. on control cabinets in electrical engineering.



Quick to assemble, securely fixed.
Our control cabinet key enables the assembly and disassembly of door and window handles using the built-in 3 mm external hex of a grub screw - quickly, precisely and cleanly. Ideal for everyday assembly and service work: position accurately, loosen or tighten the bolt, align the handle and fasten securely.



Fits. Grips. Opens.
The internal triangular socket is designed for common triangular locks on switch and distribution cabinets, technical enclosures and maintenance and service flaps. The range of sizes expands the range of applications, ensures a perfect fit and enables reliable power transmission - for quick opening, secure closing and less rework in everyday service.



Special tool for radiators.
The Profi-Key offers an efficient solution for bleeding radiators with its special heating key. The square drive fits all common heating valves, allowing almost any model to be bled quickly and easily. The non-slip key fits comfortably in the hand and, thanks to its compact size, can be used optimally even in tight angles.



Space-saving, handy, indispensable.
Pleasantly small, extremely portable and ergonomic - the compact control cabinet key saves space and replaces the toolbox when you're on the go.

Technical attributes.

Number of functions	13


Logistics data.

Product no.	87172190
GTIN	4005887009142
Weight (g)	93 g
Volume (packaged, dm3)	0.204 dm3
Packing standard	1
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	83017000
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	160
Width mm (IFS)	85
Height mm (IFS)	15
Weight (gross, kg)	0,095
Weight PAP (kg)	0,000
Weight PVC (kg)	0,003
Length (packaged, mm)	160
Width (packaged, mm)	85
Height (packaging, mm)	15

GTIN.

4 005887 009142

Images.



STAHLWILLE Eduard Wille GmbH
Lindenallee 27 · 42349 Wuppertal · Germany · Tel.: +49 202 4791-0
sales@vbw.de · www.vbw.de
© STAHLWILLE Eduard Wille GmbH, Wuppertal