STAHLWILLE®

Electronic TORX® screwdrivers

4754



Product no.	**47540006**
GTIN	**4018754355181**
Model	**4754 T6**

Label. Electronic TORX® screwdriver T6 L.50mm

Properties.

- for recessed TORX® screws
- rotating cap with ergonomic recess
- narrow, practical, fast rotating handle
- with laser marking

Benefits.


Whether for electronic, IT or precision engineers - our screwdriver for recessed TORX® screws is designed for precise work.


The specially hardened black tip with an optimal fit ensures a long service life.

The blade is made of high-quality Chrome Alloy Steel with a chrome-plated, corrosion-resistant surface for a long service life.

The handy fast rotating handle in combination with a rotary cap allows for faster and more efficient twisting without having to put the screwdriver down.


The non-slip multi-component handle ensures maximum control and supports ergonomic working.









Product highlights.



For precise screwdriving.
Our high-quality electronics screwdriver for recessed TORX® screws is an indispensable tool for millimetre-precise work in electronics and precision mechanics. Whether replacing an SSD in a laptop, maintaining automotive electronics or repairing a delicate clockwork mechanism, this screwdriver offers maximum precision and versatility.



Fast spinning.
By placing your hand on the rotary cap and the fast-rotating handle, you can twirl the screwdriver particularly quickly without having to put it down repeatedly.




Convenient handling.
The multi-component handle promotes ergonomic and comfortable working thanks to a well thought-out combination of hard and soft zones.



Excellent quality.
The Chrome Alloy Steel blade with specially hardened black tip ensures the highest quality and a long service life.

Technical drawing.



Technical attributes.

for screws	M2
Size drive profile	T6
TORX® drive profile (mm)	1,75 mm
L1	50 mm
L2	150 mm
Drive profile	TORX®

Logistics data.

Product no.	47540006
GTIN	4018754355181
Weight (g)	17 g
Volume (packaged, dm3)	0.4008 dm3
Packing standard	5
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82054000

Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen
Depth mm (IFS)	164
Width mm (IFS)	20
Height mm (IFS)	20
Weight (gross, kg)	0,112
Weight PAP (kg)	0,042
Weight PVC (kg)	0,000
Length (packaged, mm)	167
Width (packaged, mm)	80
Height (packaging, mm)	30

GTIN.



STAHLWILLE Eduard Wille GmbH
Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0
info@stahlwille.de · www.stahlwille.com
© STAHLWILLE Eduard Wille GmbH, Wuppertal