STAHLWILLE®

IMPACT screwdriver socket set TORX® on socket clip rail

2307TX IMP/6-12918



Product no.	**96231506**
GTIN	**4018754363100**
Model	**2307TX IMP/6-12918**

Label.

IMPACT screwdriver socket set TORX® on socket clip rail 6 pcs.

Properties.

- for recessed TORX® screws
- 1/2" internal square drive
- Chrome Alloy Steel, phosphated
- secure fastening on plastic carriers with ball lock
- socket clip rail can be attached to a wall/perforated wall
- DIN 3124 / ISO 2725-1 / DIN EN 3709 / ASME B 107.5M

Contains 6-pieces:
6 IMPACT screwdriver sockets TORX® 1/2" **No. 2307TX IMP**: T30; T40; T45; T50; T55; T60
+ socket clip rail **No. 12918/10**

Benefits.

High-quality set of 6 robust IMPACT socket screwdriver bits up to T60 for heavy-duty connections and screwdriving work on brake systems and special tools for brakes and wheels.

Made of wear-resistant Chrome Alloy Steel and phosphated for high durability and corrosion protection.

The socket bar can be attached in a structured manner: via an integrated drilled hole, on plastic carriers or directly to metal surfaces using the magnet set.

The 1/2" square drive makes it optimally compatible with all common ratchets, extensions and drive handles.

The inserts sit firmly on a clip strip with sliding plastic holders, external square and ball lock.

Product highlights.



For every task.
Our high-quality set of IMPACT sockets in the most common sizes and with universal square drive is a reliable tool for screwdriving work on special tools for brakes and wheels, engine mounts, industrial components and much more.



For powerful bolted joints.
The range offers a wide selection of sizes for particularly force-intensive bolted joints. The sockets are optimal for powerful work on special tools for brakes and wheels, brake systems, body parts, engine covers, axle connections and machine components.



Robust and durable.
Our screwdriver and socket wrench sockets made of high-quality chrome alloy steel offer outstanding stability and resistance for continuous use. They are phosphated for additional corrosion resistance and long-lasting protection.



Efficient tool organisation.
The inserts sit securely on the robust socket wrench strip with external square, ball lock and end stop. The sliding safety locks allow for individual arrangement. For maximum flexibility, the strip can be attached to walls, beams or directly to metal surfaces using a magnet set - for more order and space in the workshop or garage.

Technical attributes.

Number of tools	6 pcs.

Logistics data.

Product no.	96231506
GTIN	4018754363100
Volume (packaged, dm3)	1.87 dm3
Packing standard	1
WEEE/ElektroG	nicht ear-pflichtig
Customs tariff no.	82042000
Country of origin AWR	GERMANY
Region of origin	Nordrhein-Westfalen

Depth mm (IFS)	340
Width mm (IFS)	100
Height mm (IFS)	55
Weight (gross, kg)	0,460
Weight PAP (kg)	0,000
Weight PVC (kg)	0,004
Length (packaged, mm)	340
Width (packaged, mm)	100
Height (packaging, mm)	55

Parts list.



23070030
IMPACT screwdriver socket



23070040
IMPACT screwdriver socket



23070045
IMPACT screwdriver socket



23070050
IMPACT screwdriver socket



23070055
IMPACT screwdriver socket



23070060
IMPACT screwdriver socket



80500005
Socket clip rail

GTIN.

4 018754 363100

Accessories (for).



39011940
IMPACT rubber ring



39012440
IMPACT rubber ring

Images.



STAHLWILLE Eduard Wille GmbH
Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0
info@stahlwille.de · www.stahlwille.com
© STAHLWILLE Eduard Wille GmbH, Wuppertal