



EAN:	4013288224187	Size:	0x0x0 mm
Part number:	TR100037	Weight:	0 g
Article number:	Tool-Check PLUS (Tool Rebel Edition)	Country of origin:	
		Customs tariff number:	82079030

- Super-compact 40-piece tool set
- Ideal for use on the move
- Includes a 1/4 inch ratchet and a Kraftform hand holder
- With a matching, high-quality textile bag
- Exclusivly equipped for the Tool Rebel Shop. Only available in the Tool Rebel Shop!

28 bits, 1 bitholding screwdriver 813 suitable for the attachment of bits with 1/4" hexagon drive as per DIN ISO 1173-C 6.3 and Wera connection series 1, 1 Rapidaptor bit holder, 1 adaptor 870/1 (1/4" hexagon to 1/4" square), 7 sockets (1/4"); 1 Wera Bit Ratchet Zyklop Mini 1, drop-forged full steel design suitable for the attachment of bits with 1/4" hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3 and Wera connection series 1 and 4; the use of 1/4" sockets is also possible with the application of the Wera adaptor 870/1



Web link
<https://www.wera.de/en/TR100037>

Wera - Tool-Check PLUS (Tool Rebel Edition)
TR100037 - 4013288224187

Wera Werkzeuge GmbH
Korzelter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

The Zyklop Mini Ratchets



For all difficult-to-access applications.

The Zyklop Mini



The fine tooth mechanism, with its 60 teeth, allows a small return angle of only 6° - ideal for precision work.

Simple direction change



Simple switching between left/right operations.

Rapid screwdriving



High working speeds can be attained with the Zyklop Mini bit ratchet. The thumb wheel is important, enabling more rapid screwdriving, and the lever of the Zyklop Mini only needs to be used for the final tightening of the screw.

Slim design



Its slim design makes it ideal for all particularly confined working situations.

Take it easy tool finder system



Take it easy tool finder system - with profile and size colour-coding for quick and easy tool selection. Colour-coded system for hexagon drive screws (L-Keys, Zyklop bit sockets), external hex drive screws and nuts (Joker wrenches, Zyklop sockets and Zyklop bit sockets with holding function), and TORX® drive screws (L-Keys, Zyklop bit sockets).

Is such a small tool sufficiently resilient?



The Zyklop Mini 1 can withstand a torque up to 65 Nm. That is far more power than can normally be transferred to such a small tool.

Bit-Check as a lever



The Bit-Check itself can be used as a lever.

Web link

<https://www.wera.de/en/TR100037>

Wera - Tool-Check PLUS (Tool Rebel Edition)
TR100037 - 4013288224187

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Set contents:

8001 A Bit Ratchet 1/4", 1/4" x 87 mm



1x 1/4" x 87 mm

889/4/1 K Rapidaptor Universal Bit Holder, 1/4" x 50 mm



05052502001

1x 1/4" x 50 mm

813 Bitholding screwdriver, 1/4" x 78 mm



05051274001

1x 1/4" x 78 mm

840/1 BTZ bits, 1.5 x 25 mm



05056680001

1x 1.5 x 25 mm

05056681001

1x 2 x 25 mm

05056682001

1x 2.5 x 25 mm

05056683001

1x 3 x 25 mm

05056684001

1x 4 x 25 mm

05056685001

1x 5 x 25 mm

05056687001

1x 6 x 25 mm

840/1 Z bits, 8 x 25 mm



05056335001

1x 8 x 25 mm

867/1 BTZ TORX® bits, TX 10 x 25 mm



05066120001

1x TX 10 x 25 mm

05066122001

1x TX 15 x 25 mm

05066124001

1x TX 20 x 25 mm

05066126001

1x TX 25 x 25 mm

05066128001

1x TX 30 x 25 mm

05066130001

1x TX 40 x 25 mm

867/1 Z TORX® B0 bits with bore hole, TX 25 x 25 mm



05066515001

1x TX 25 x 25 mm

851/1 J bits, PH 00 x 25 x 2 mm



05135040001¹⁾

1x PH 00 x 25 x 2 mm

05135041001²⁾

1x PH 0 x 25 x 2.5 mm

1) Size 00 modified according to JCIS 00 (Japanese Camera Industrial Standard)

2) Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)

851/1 BTZ bits, PH 1 x 25 mm



05056420001

1x PH 1 x 25 mm

05056422001

1x PH 2 x 25 mm

05056424001

1x PH 3 x 25 mm

Web link

<https://www.wera.de/en/TR100037>

Wera - Tool-Check PLUS (Tool Rebel Edition)
TR100037 - 4013288224187

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

855/1 BTZ bits, PZ 1 x 25 mm



05056720001	1x	PZ 1 x 25 mm
05056722001	1x	PZ 2 x 25 mm
05056724001	1x	PZ 3 x 25 mm

855/1 BDC bits, PZ 2 x 25 mm



05056702001	1x	PZ 2 x 25 mm
-------------	----	--------------

800/1 TZ bits, 0.5 x 4 x 25 mm



05056203001	1x	0.5 x 4 x 25 mm
05056210001	1x	0.6 x 4.5 x 25 mm
05056220001	1x	0.8 x 5.5 x 25 mm
05056225001	1x	1 x 5.5 x 25 mm
05056233001	1x	1.2 x 6.5 x 25 mm

8790 HMA Zyklus 1/4" socket, 5.5 x 23 mm



05003504001	1x	5.5 x 23 mm
05003505001	1x	6 x 23 mm
05003506001	1x	7 x 23 mm
05003507001	1x	8 x 23 mm
05003509001	1x	10 x 23 mm
05003511001	1x	12 x 23 mm
05003512001	1x	13 x 23 mm

870/1 Adaptor, 1/4" x 25 mm



05136000001 ¹⁾	1x	1/4" x 25 mm
---------------------------	----	--------------

1) With friction ball; for manual nut spinner sockets

Web link

<https://www.wera.de/en/TR100037>

Wera - Tool-Check PLUS (Tool Rebel Edition)
TR100037 - 4013288224187

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de