



|                        |                                          |                                   |          |
|------------------------|------------------------------------------|-----------------------------------|----------|
| <b>EAN:</b>            |                                          | <b>Size:</b>                      | 0x0x0 mm |
| <b>Part number:</b>    | TR100201                                 | <b>Weight:</b>                    | 0 g      |
| <b>Article number:</b> | Kfz Drehmomentschlüssel<br>Set 40-200 Nm | <b>Country of origin:</b>         |          |
|                        |                                          | <b>Customs tariff<br/>number:</b> | 82041200 |

- Measuring range: 40-200 Nm; precision  $\pm 3\%$  as per DIN EN ISO 6789-1:2017-07
- Smooth outer plastic sleeve to protect the rim when changing wheels
- Internal plastic insert to protect the wheel bolt surface
- Short 1/2" Zyklop extension

13-piece set; in a surface protecting, compact and extremely robust textile box; low volume and weight for simplified mobility.  
1 Click-Torque torque wrench C 3 with 1/2" square drive, covering a range of 40 Nm-200 Nm, accuracy  $\pm 3\%$  of the set value, as per DIN EN ISO 6789-1: 2017-07, for clockwise torque control, reversible ratchet, 45 teeth, easy setting and saving of the desired torque value, with audible and tactile locking when the scale values are reached (fine scale only in Newton meters), audible and tactile release mechanism when the set torque value is reached, ergonomic 2-component handle, 4 Zyklop sockets, 4 Zyklop bit sockets with holding function for TORX® screws made according to Camcar Innovations, Michigan, USA specifications, 3 Zyklop bit sockets with holding function for hexagon socket screws, 1 Zyklop extension with free-turning sleeve



**Web link**  
<https://www.wera.de/en/TR100201>

Wera - Kfz Drehmomentschlüssel Set 40-200 Nm  
TR100201 -

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

**Click-Torque Wrench series**

**Exact**

**Easy and safe**


**Setting with Speed**



Click torque wrench in unmistakable Wera design.



Precision of  $\pm 3$  % as per DIN EN ISO 6789-1:2017-07.



Easy setting and saving of the desired torque value; easy to read on main and fine scales.




With audible and tactile locking when the scale values are reached.

**Release mechanism**

**Bit sockets with retaining function for hexagon socket screws**

**Bit sockets with holding function for TORX® screws**

**In robust textile box**



On reaching the desired torque value, an audible and tactile mechanism is triggered.



The clamping of the screw is achieved by a flexible locking ball. The holding function is especially helpful in confined, hard-to-reach spaces, where there is no room for a second hand to secure the screw.



The HF tools developed by Wera are ideal because they feature an optimised geometry of the original TORX® profile. The wedging forces resulting from the surface pressure between the drive tip and the screw profile mean that TORX® screws made according to Camcar Innovations, Michigan, USA specifications are securely held on the tool!



Robust surface-protecting, compact, textile box

**Web link**

<https://www.wera.de/en/TR100201>

Wera - Kfz Drehmomentschlüssel Set 40-200 Nm  
TR100201 -

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

Set contents:

Click-Torque C 3 torque wrench with reversible ratchet, 40-200 Nm, 1/2" x 40-200 Nm

 05075622001 1x 1/2" x 40-200 Nm


8790 C Wheel Impaktor Socket with 1/2" drive, 21 x 85 x 32 mm

 05004592001 1x 21 x 85 x 32 mm  
05004591001 1x 19 x 85 x 30 mm  
05004590001 1x 17 x 85 x 30 mm

8894 SC extension, short, 1/2", 1/2" x 125 mm

 1x 1/2" x 125 mm

9571 Textile Box Tool Rebel tyre changing set; empty, 538 x 100 mm

 1x 538 x 100 mm

Web link

<https://www.wera.de/en/TR100201>

Wera - Kfz Drehmomentschlüssel Set 40-200 Nm  
TR100201 -

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)