




EAN:		**Size:**	0x0x0 mm
Part number:	TR100215	**Weight:**	0 g
Article number:	Schraubendreher VDE Slim Set 1	**Country of origin:**	
		Customs tariff number:	82054000

- 7-piece VDE screwdriver set in compact, textile box with Wera 2go compatibility
- Insulated tools, some blades with reduced diameter for safe working up to 1,000 volt
- Smooth hard zones for high speed turning, soft grip zones for high torque transfer
- Take it easy tool finder: colour coding according to profile and size
- Hexagonal anti-roll feature against rolling away

Kraftform: The safety screwdriver. Includes some tools with reduced blade diameter. With tool finder Take it easy: Colour coding by profiles and size stamping.
Application: Slotted, Phillips, combination profile Pozidriv/slotted and TORX® screws
Design: 7-piece set in compact, textile box with Wera2go compatibility


Web link

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de




The individual testing at 10,000 volts, in accordance with IEC 60900, ensures safe working with loads up to 1,000 volts.

Compatible with Wera 2go




Suitable for docking with the Wera 2go system.

VDE-insulated screwdriver with reduced blade diameter



Reduced blade diameter with integrated protective insulation, allows sunken screws and spring elements to be accessed and actuated, individually tested as per IEC 60900.

PlusMinus screwdrivers




For the use in terminal blocks, control cabinets, switches, relays, sockets etc.

Individually tested



Our screwdrivers are tested for dielectric strength under a 10,000 volt load to make sure that their most important property, their insulation, has been exhaustively tested. Each individual Wera VDE screwdriver is subjected to this test to guarantee safe working up to 1,000 volts.

Impact strength test



Impact strength tested at -40°C, guaranteeing safety even under extreme conditions.

Multicomponent Kraftform handle



Wera produces the Kraftform handle out of several materials with different properties. A resistant plastic is used for the core which ensures that the blade is held securely even under high strain. A softer material is used for the coloured soft zones, which provides high frictional resistance and allows the transfer of high forces - resulting in less required screwdriving effort. The red sections with their hard surfaces prevent any "sticking" of the hand to the handle, making rapid repositioning of the hand possible.

Take it easy Tool Finder



Screwdrivers with Take it easy tool finder: colour coding according to profile and size stamp.

Web link

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Set contents:

162 iS PH VDE Insulated screwdriver with reduced blade diameter for Phillips screws, PH 1 x 80 mm



05006450001	1x	PH 1 x 80 mm
05006451001	1x	PH 2 x 100 mm

165 iS PZ/S VDE Insulated screwdriver with reduced blade diameter for PlusMinus screws (Pozidriv/slotted), # 2 x 100 mm



05006466001	1x	# 2 x 100 mm

167 i VDE Insulated screwdriver for TORX® screws, TX 20 x 80 mm



05006174001	1x	TX 20 x 80 mm
05006176001	1x	TX 25 x 100 mm

160 iS VDE Insulated screwdriver with reduced blade diameter for slotted screws, 0.6 x 3.5 x 100 mm



05006440001	1x	0.6 x 3.5 x 100 mm
05006442001	1x	1 x 5.5 x 125 mm

Hook and Loop Fastener Strip 240, 50 x 240 mm

1x 50 x 240 mm



Web link

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de